

8. REFERENCES

- *Abalis IM, Elderfrawl ME, Elderfrawl AT. 1985. High-affinity stereospecific binding of cyclodiene insecticides and γ -hexachlorocyclohexane to γ -aminobutyric acid receptors of rat brain. Pestic Biochem Physiol 24:95-102.
- Abrams K, Hogan DJ, Maibach HI. 1991. Pesticide-related dermatoses in agricultural workers. Occup Med: State of the Art Reviews 6:463-492.
- *ACGIH. 1996. American Conference of Governmental Industrial Hygienist. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- Adhya TK, Apte SK, Raghu K, et al. 1996. Novel polypeptides induced by the insecticide lindane (γ -hexachlorocyclohexane) are required for its biodegradation by a *Sphingomonas paucimobilis* strain. Biochem Biophys Res Commun 221:755-761.
- *Agrawal D, Subramoniam A, Afaq F. 1995. Influence of hexachlorocyclohexane on phosphoinositides in rat erythrocyte membranes and brain. Toxicology 95:135-140.
- Agrawal D, Sultana P, Gupta GS D. 1991. Oxidative damage and changes in the glutathione redox system in erythrocytes from rats treated with hexachlorocyclohexane. Food Chem Toxicol 29:459-462.
- *Ahdaya SM, Monroe RJ, Guthrie FE. 1981. Absorption and distribution of intubated insecticides in fasted mice. Pestic Biochem Physiol 16:38-46.
- Ahmed FE, Hart RW, Lewis NJ. 1977. Pesticide induced DNA damage and its repair in cultured human cells. Mutat Res 42:161-174.
- Akhter S, Siddiqui PM A. 1991. Degradation of DDT and BHC (technical and formulation) by soil microorganisms. Karachi Univ J Sci 19:131-137.
- Aks SE, Krantz A, Hryhorczuk DO. 1995. Acute accidental lindane ingestion in toddlers. Ann Emerg Med 26(5):647-651.
- *Albertson TE, Joy RM, Stark LG. 1985. Facilitation of kindling in adult rats following neonatal exposure to lindane. Dev Brain Res 17:263-266.
- Albright R, Johnson N, Sanderson TW, et al. 1974. Pesticide residues in the top soil of five west Alabama counties. Bull Environ Contam Toxicol 12:378-384.
- *Albro PW, Thomas R. 1974. Intestinal absorption of hexachlorobenzene and hexachlorocyclohexane isomers in rats. Bull Environ Contam Toxicol 12:289-294.

*Cited in text

8. REFERENCES

- Aldegunde M, Parafita M, Fernandez Otero M. 1983. Effect of γ -hexachlorocyclohexane on serotonin metabolism in rat brain. *Gen Pharmacol* 14:303-305.
- Aldegunde M, Miguez I, Parafita M, et al. 1986. Effect of lindane on brain monamine metabolism. *Gen Pharmacol* 17:633-635.
- *AL DEM. 1998. Minimum contaminant levels. Alabama Department of Environmental Management. Div. 335-7, Ch. 2, Rule .04(1)(a).
- *Allchin CR. 1991. Concentrations of α - and γ -hexachlorocyclohexane (lindane) in the coastal waters of England and Wales. *Water Sci Technol* 24:143-146.
- *Allsup T, Walsh D. 1982. Gas chromatographic analysis of chlorophenylmercapturic acid lindane metabolites. *J Chromatogr* 236:421-428.
- Alm H, Tiemann U, Torner H. 1996. Influence of organochlorine pesticides on development of mouse embryos in vitro. *Reprod Toxicol* 10(4):321-326.
- *Amyes SJ. 1990. Lindane: Combined oncogenicity and toxicity study by dietary administration to Wistar rats for 104 weeks. Life Science Research Limited, Suffolk, England. LSR report no. 90/CIL002/0839.
- Anand M, Gopal K, Khanna RN, et al. 1991. Cadmium and lindane interaction in cardiovascular toxicity. *J Environ Biol* 12:9-14.
- *Anand M, Gupta GS D, Gopal K, et al. 1991. Influence of dietary protein deficiency on EEG neurotransmitters and neurobehavior after chronic exposure to HCH. *Toxicol Environ Chem* 34:1-11.
- Anand M, Agrawa AK, Rehmani BNH, et al. 1998. Role of GABA receptor complex in low dose lindane (HCH) induced neurotoxicity: Neurobehavioural, neurochemical and electrophysiological studies. *Drug Chem Toxicol* 21(1):35-46.
- *Andrews JE, Gray LE. 1990. The effects of lindane and linuron on calcium metabolism, bone morphometry and the kidney in rats. *Toxicology* 60:99-107.
- *Angerer J, Heinrich R, Laudehr H. 1981. Occupational exposure to hexachlorocyclohexane: V. Gas chromatographic determination of monohydroxychlorobenzenes (chlorophenols) in urine. *Int Arch Occup Environ Health* 48:319-324.
- *Angerer J, Maass R, Heinrich R. 1983. Occupational exposure to hexachlorocyclohexane: VI. Metabolism of γ -hexachlorocyclohexane in man. *Int Arch Occup Environ Health* 52:59-67.
- *Angsubhakorn S, Bhamarapratvi N, Romruen K et al. 1981. Further study of α -benzene hexachloride inhibition of aflatoxin B₁ hepatocarcinogenesis in rats. *Br J Cancer* 43:881-883.
- *AOAC. 1984. Lindane in soil—29.013; fish—29.029; poultry fat--29.037; and lindane residues in food--29.079, 29.080; in pesticide formulations—6.214, 6.220, 6.1221, 6.227. In: Official methods of analysis of the Association of Official Analytical Chemists. Association of Official Analytical Chemists, Inc. Arlington, VA.

8. REFERENCES

- *Arisi ACM, Simizu K, Kogake M, et al. 1994. Brain and liver lipid peroxidation levels following acute and short-term lindane administration in the rat. *Toxicol Lett* 74:61-68.
- *Arisoy M, Kolankaya N. 1997. Biodegradation of lindane by *Pleurotus sajor-caju* and toxic effects of lindane and its metabolites on mice. *Bull Environ Contam Toxicol* 59:352-359.
- Arthur RD, Cain JD, Barrentine BF. 1976. Atmospheric level of pesticides in the Mississippi Delta. *Bull Environ Contam Toxicol* 15:129-134.
- *Artigas F, Martinez E, Camon L, et al. 1988a. Brain metabolites of lindane and related isomers: Identification by negative ion mass spectrometry. *Toxicology* 49:57-63.
- Artigas F, Martinez E, Gelpi E. 1988b. Organochlorine pesticides by negative ion chemical ionization: Brain metabolites of lindane. *Biomed Environ Mass Spectrom* 16:279-284.
- Aspinwall LS, Bermudez I, King A, et al. 1997. The interactions of hexachlorocyclohexane isomers with human γ -aminobutyric acid_A receptors express in xenopus oocytes. *J Pharmacol Exp Ther* 282:1557-1564.
- *Atkins DHF, Eggleton AEJ. 1971. Studies of atmospheric washout and deposition of γ -BHC, dieldrin, and p,p-DDT using radiolabelled pesticides. Proceedings of the Symposium on Nuclear Techniques in Environmental Pollution, Salzburg, Austria, 1970.
- Atlas E, Giam CS. 1981. Global transport of organic pollutants: Ambient concentrations in the remote marine atmosphere. *Science* 211:163-165.
- *Atlas E, Giam CS. 1988. Ambient concentrations and precipitation scavenging of atmospheric organic pollutants. *Water Air Soil Pollut* 38:19-36.
- *ATSDR. 1989. Agency for Toxic Substances and Disease Registry. *Federal Register* 54:37618-37634.
- *Attia AM, Richardson BA, Rodriguez C, et al. 1991. Lindane may enhance nocturnal pineal N-acetyltransferase activity via β -adrenergic receptors. *Brain Res* 554:253-256.
- Awney HA, Amara AA, El-Masry MH, et al. 1997. Effect of 12 plant extracts on hepatic microsomal benzo[a]pyrene hydroxylation and hydrogen peroxide production in mice treated with lindane. *Environmental and Nutritional Interactions* 1:129-142.
- Awumbila B. 1996. Acaricides in tick control in Ghana and methods of application. *Trop Animal Hlth Prod* 28:50S-52S.
- *Azzalis LA, Junqueira VBC, Simon K, et al. 1995. Prooxidant and antioxidant hepatic factors in rats chronically fed an ethanol regimen and treated with an acute dose of lindane. *Free Radic Biol Med* 19:147-159.
- Azzalis LA, Pimentel R, Simizu K, et al. 1992. Hepatic-effects of acute lindane treatment in rats chronically fed a high ethanol regimen. *Biochem Arch* 8:45-67.
- Bachmann A, De Bruin W, Jumelet JC, et al. 1988a. Aerobic biominerization of α -hexachlorocyclohexane in contaminated soil. *Appl Environ Microbiol* 54:548-554.

8. REFERENCES

- Bachmann A, Walet P, Wijnen P, et al. 1988b. Biodegradation of α - and β -hexachlorocyclohexane in a soil slurry under different redox conditions. *Appl Environ Microbiol* 54:143-149.
- Badiaa AB, Korany K, Mednyanszky Z, et al. 1992. Reduction of pesticide residues in foods of plant origin: I. Effect of processing on the pesticide content of tomatoes. *Elelmezesi Ipar* 46:118-121.
- Bainy ACD, Silva MAS, Kogake M, et al. 1994. Influence of lindane and paraquat on oxidative stress-related parameters of erythrocytes *in vitro*. *Hum Exp Toxicol* 13:461-465.
- *Baker MT, Nelson RM, Van Dyke R. 1985. The formation of chlorobenzene and benzene by the reductive metabolism of lindane in rat liver microsomes. *Arch Biochem Biophys* 236:506-514.
- Balikova M, Kohlicek J, Rybka K. 1989. Chlorinated phenols as metabolites of lindane: Evaluation of the degree of conjugation in rat urine. *J Anal Toxicol* 13:27-30.
- *Balikova M, Novakova E, Kohlicek J. 1988. Identification of polychlorinated phenols in urine by gas and thin-layer chromatography. *J Chromatogr* 431:431-437.
- *Banerjee BD, Koner BC, Ray A, et al. 1996. Influence of subchronic exposure to lindane on humoral immunity in mice. *Indian J Exp Bio* 34:1109-1113.
- Banerjee BD, Zaidi SSA, Pasha ST, et al. 1997. Levels of HCH residues in human milk samples from Delhi, India. *Bull Environ Contam Toxicol* 59:403-406.
- Barkwell R, Shields S. 1997. Deaths associated with ivermectin treatment of scabies. *The Lancet* 349:1144-1145.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Barquet A, Morgade C, Pfaffenberger CD. 1981. Determination of organochlorine pesticides and metabolites in drinking water, human blood serum, and adipose tissue. *J Toxicol Environ Health* 7:469-479.
- *Barrón S, Serratosa J, Tusell JM. 1995. Regulation of *c-fos* expression by convulsants and hexachlorocyclohexane isomers in primary cultures of cortical neurons. *J Neurochem* 64:1708-1714.
- *Barros SB, Simizu K, Junqueira VB. 1991. Liver lipid peroxidation-related parameters after short-term administration of hexachlorocyclohexane isomers to rats. *Toxicol Lett* 56:137-144.
- *Barros SB, Videla LA, Simizu K, et al. 1988. Lindane-induced oxidative stress: II. Time course of changes in hepatic glutathione status. *Xenobiotica* 18:1305-1310.
- *Baumann K, Angerer J, Heinrich R, et al. 1980. Occupational exposure to hexachlorocyclohexane: I. Body burden of HCH-isomers. *Int Arch Occup Health* 47:119-127.
- Baumann K, Behling K, Brassow H-L, et al. 1981. Occupational exposure to hexachlorocyclohexane: III. Neurophysiological findings and neuromuscular function in chronically exposed workers. *Int Arch Occup Environ Health* 48:165-172.

8. REFERENCES

- *Beard AP, McRae AC, Rawlings NC. 1997. Reproductive efficiency in mink (*Mustela vison*) treated with the pesticides lindane, carbofuran and pentachlorophenol. *J Reprod Fertil* 111:21-28.
- Benfenati E, Fanelli R. 1991. A gas chromatography-mass spectrometric method for simultaneous analysis of 50 pesticides. *Acqua Aria* 7:667-669.
- *Berg GL. 1988. Farm chemicals handbook 1988. Willoughby, OH: Meister Publishing Co.
- Berisford CW, Dalusky MJ, Bush PB, et al. 1991. Efficacy, persistence, ground deposition, and human exposure of polymer-encapsulated lindane and chloropyrifos used for control of the southern pine beetle. *Phytoprotection* 72:15-20.
- *Bernal JL, Del Nozal MJ, Jimenez JJ. 1992. Use of a high-pressure Soxhlet extractor for the determination of organochlorine residues by gas chromatography. *Chromatographia* 34:468-474.
- *Berry DH, Brewster MA, Watson R, et al. 1987. Untoward effects associated with lindane abuse [letter]. *Am J Dis Child* 141:125-126.
- *Bessar BA A, Korany K, Szabo AS. 1991. Effect of home preparative procedures and technological processes on lindane residues in tomato. *Acta Aliment* 20:25-30.
- Beurskens JEM, Stams AJM, Zehnder AJB, et al. 1991. Relative biochemical reactivity of 3 hexachlorocyclohexane isomers. *Ecotoxicol Environ Safety* 21:128-136.
- *Bevenue A, Hylin JW, Kawano Y, et al. 1972. Pesticides in water: Organochlorine pesticide residues in water, sediment, algae and fish: Hawaii 1970-1971. *Pestic Monit J* 6:56-72.
- Beyermann K, Erkirch W. 1974. Differentiation of aerosol-bound and gaseous fractions of insecticides in air. *Z Anal Chem* 269:279.
- Bhan A, Rathore HS. 1996. Prevention of hexachlorocyclohexane (HCH) induced changes in selected reproductive organs of mice with a herbal drug "speman". I. Acute exposure. *Indian Journal of Occupational Health* 39(1):7-11.
- *Bhatt HV, Panchal GM. 1994. Effect of lindane on gastrointestinal motility of mice and the possible mechanism of action. *J Environ Biol* 15:63-66.
- Bhunya SP, Jena GB. 1992. Genotoxic potential of the organochlorine insecticide lindane (γ -bhc) - an *in vivo* study in chicks. *Mutat Res* 272:175-181.
- Bhuyan S, Sahu SK, Adhya TK, et al. 1992. Accelerated aerobic degradation of γ -hexachlorocyclohexane in suspensions of flooded and non-flooded soils pretreated with hexachlorocyclohexane. *Biol Fertil Soils* 12:279-284.
- *Biberhofer J, Stevens RJ. 1987. Organochlorine contaminants in ambient waters of Lake Ontario. Environment Canada: Scientific Service, Inland Waters/Land Director 159:11.
- *Bigsby RM, Caperell-Grant A, Madhukar BV. 1997. Xenobiotics released from fat during fasting produce estrogenic effects in ovariectomized mice. *Cancer Res* 57:865-869.

8. REFERENCES

- Bintein S, Devillers J. 1996. Evaluating the environmental fate of lindane in France. Chemosphere 32(12):2427-2440.
- *Blair A, Cantor KP, Hoar Zahm S. 1998. Non-Hodgkin's lymphoma and agricultural use of the insecticide lindane. Am J Ind Med 33:82-87.
- Blakley EF. 1982. Lindane toxicity in pigeons. Can Vet J 23:267-268.
- Blessing R. 1991. Indoor air pollution by wood preservatives pentachlorophenol and lindane. Umwelttechnik 32:205-207.
- Bloomquist JR. 1992. Intrinsic lethality of chloride-channel-directed insecticides and convulsants in mammals. Toxicol Lett 60:289-298.
- Boehncke A, Martin K, Muller MG, et al. 1996. The vapor pressure of lindane (γ -1,2,3,4,5,6-hexachlorocyclohexane)-a comparison of Knudsen effusion measurements with data from other techniques. J Chem Eng Data 41:543-545.
- *Boll M, Weber LWD, Stampfl A. 1995. The effect of γ -hexachlorocyclohexane (lindane) on the activities of liver lipogenic enzymes and on serum lipids in rats. Z Naturforsch 50C:135-142.
- *Bosch AL. 1987a. Dermal absorption of ^{14}C -lindane in male rats. Hazelton Laboratories America, Inc., Madison, WI. HLA study no. 6188-103.
- *Bosch AL. 1987b. Dermal absorption of ^{14}C -lindane in male rabbits. Hazelton Laboratories America, Inc., Madison, WI. HLA study no. 6188-104.
- Boucher FR, Lee GF. 1972. Adsorption of lindane and dieldrin pesticides on unconsolidated aquifer sands. Environ Sci Technol 6:538-543.
- Boyd E, Chen C, Krijen C. 1969. Lindane and dietary protein. Pharmacol Res Commun 1:403-412.
- *Brassow H-L, Baumann K, Lehnert G. 1981. Occupational exposure to hexachlorocyclohexane: II. Health conditions of chronically exposed workers. Int Arch Occup Environ Health 48:81-87.
- Boyle AW, Hagblom MM, Taghon GL, et al. 1997. Dehalogenation of lindane by anaerobic bacteria [Abstract]. 97th General Meeting of the American Society for Microbiology 97(0):520.
- *Brannen KC, Devaud LL, Liu J. 1998. Prenatal exposure to neurotoxicants dieldrin or lindane alters *tert*-butylbicyclicphosphorothionate binding to GABA_A receptors in fetal rat brainstem. Dev Neurosci 20:34-41.
- *Brilhante MO, Oliveira MR. 1996. Environmental contamination by HCH in the Cidade dos Meninos', state of Rio de Janeiro. Int J Environ Health Res 6:17-25.
- *Brown D. 1988. Lindane: 13 week dermal toxicity study (with interim kill and recovery period) in the rat. Hazelton UK, North Yorkshire, England. HUK report no. 5757-580/2.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 1989. The Merck index. Rahway, NJ: Merck & Co., Inc., 866-867.

8. REFERENCES

- *Burse VW, Head SL, Korver MP, et al. 1990. Determination of selected organochlorine pesticides and polychlorinated biphenyls in human serum. *J Anal Toxicol* 14:137-142.
- *Butte W, Fox K, Zauke GP. 1991. Kinetics of bioaccumulation and clearance of isomeric hexachlorocyclohexanes. *Sci Total Environ* 109-110:377-382.
- *Butte W, Walker G. 1992. The determination of wood preserving agents on the surface of wood by gas chromatography and gas chromatography-mass spectrometry. *Fresenius J Anal Chem* 343:144.
- *Butte W, Fooken C. 1990. Simultaneous determination of pentachlorophenol and neutral organochlorine compounds in human milk. *Fresenius J Anal Chem* 336:511-514.
- *Caldwell GG, Cannon SB, Pratt CB, et al. 1981. Serum pesticide levels in patients with childhood colorectal carcinoma. *Cancer* 48:774-778.
- *Callahan MA, Slimak MW, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Volume I: Introduction and technical background, metals and inorganics, pesticides and PCBs. Washington, DC: Environmental Protection Agency. EPA 440/4-79-029a.
- Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Res* 52:2447-2455.
- *Caquet T, Thybaud E, Lebras S, et al. 1992. Fate and biological effects of lindane and deltamethrin in fresh-water mesocosms. *Aquatic Toxicol* 23:261-278.
- *Carey AE, Gowen JA, Tai H, et al. 1978. Soils: Pesticide residue levels in soils and crops, 1971—National Soils Monitoring Program (III). *Pestic Monit J* 12:117-136.
- Carrero I, Perez-Albarsanz MA, Recio MN, et al. 1992. Effects of lindane on the accumulation of cyclic AMP, induced by vasoactive intestinal peptide, in isolated rat prostatic epithelial cells. *Toxicol In Vitro* 6(1):7-10.
- Carrero I, Recio MN, Prieto JC, et al. 1996. Effect of γ -hexachlorocyclohexane in phosphoinositide synthesis in rat enterocytes is calcium-mediated. *Pesticide Biochemistry and Physiology* 56:79-87.
- *Casida JE, Lawrence LJ. 1985. Structure-activity correlations for interactions of bicyclophosphorus esters and some polychlorocycloalkane and pyrethroid insecticides with the brain-specific t-butylbicyclophosphorothionate receptor. *Environ Health Perspect* 61:123-132.
- *Cattabeni F, Pastorell M, Eli M. 1983. Convulsions induced by lindane and the involvement of the GABAergic system. *Arch Toxicol (Suppl)* 6:244-249.
- CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.
- *CELDS. 1993. Computer Environmental Legislative Data Systems, University of Illinois, Urbana, IL. March, 1992.

8. REFERENCES

- *Cerón JJ, Panizo CG, Montes A. 1995. Toxicological effects in rabbits induced by endosulfan, lindane, and methylparathion representing agricultural byproducts contamination. Bull Environ Contam Toxicol 54:258-265.
- *Chadwick RW, Freal JJ. 1972a. The identification of five unreported lindane metabolites recovered from rat urine. Bull Environ Contam Toxicol 7:137-146.
- *Chadwick RW, Freal JJ. 1972b. Comparative acceleration of lindane metabolism to chlorophenols by pretreatment of rats with lindane or with DDT and lindane. Food Cosmet Toxicol 10:789-795.
- *Chadwick RW, Cooper RL, Chang J, et al. 1988. Possible antiestrogenic activity of lindane in female rats. J Biochem Toxicol 3:147-158.
- *Chadwick RW, Copeland MF, Mole ML, et al. 1981. Comparative effect of pretreatment with phenobarbital, Aroclor 1254, and β -naphthoflavone on the metabolism of lindane. Pestic Biochem Physiol 15:120-136.
- *Chadwick RW, Copeland MF, Wolff GL, et al. 1985. Effects of age and obesity on the metabolism of lindane by black a/a, yellow Avy/a, and pseudoagouti Avy/a phenotypes of (YS x VY)F1 hybrid mice. J Toxicol Environ Health 16:771-796.
- Chadwick RW, Copeland MF, Wolff GL, et al. 1987. Saturation of lindane metabolism in chronically treated (YS x VY) F1 hybrid mice. J Toxicol Environ Health 20:411-434.
- *Chadwick RW, Copeland MF, Chadwick C. 1978a. Enhanced pesticide metabolism: A previously unreported effect of dietary fibre in mammals. Food Cosmet Toxicol 16:217-225.
- *Chadwick RW, Faeder EJ, King LC, et al. 1978b. Effect of acute and chronic Cd exposure on lindane metabolism. Ecotoxicol Environ Safety 2:301-316.
- *Chadwick RW, Freal JJ, Sovocool GW, et al. 1978c. The identification of three previously unreported lindane metabolites from mammals. Chemosphere 8:633-640.
- *Chadwick R, Peoples A, Cranmer M. 1972c. The effect of ascorbic acid deficiency and protein quality on stimulation of hepatic microsomal enzymes in guinea pigs. Toxicol Appl Pharmacol 22:308-309.
- *Chand B, Ramachandran M. 1980. Effect of dietary hexachlorocyclohexane on certain biochemical changes in albino rat. Indian J Exp Biol 18:735-736.
- Chovelon A, Geoger L, Gulayets C, et al. 1984. Pesticide and PCB levels in fish from Alberta (Canada). Chemosphere 13:19-32
- *Cifone MA. 1990. Lindane (technical): In the *in vitro* rat primary hepatocyte unscheduled DNA synthesis assay. Hazelton Laboratories America, Inc., Kensington, MD. HLA study no. 12024-0-447.
- *Clark DE, Smalley HE, Crookshank HR, et al. 1974. Residues in food and feed: Chlorinated hydrocarbon insecticide residues in feed and carcasses of feedlot cattle, Texas—1972. Pestic Monit J 8:180-183.

8. REFERENCES

- Clayton G, Clayton F, eds. 1981. *Patty's industrial hygiene and toxicology*. 3rd ed. New York, NY: John Wiley & Sons.
- *CO DHWQD. 1998. Minimum contaminant levels. Colorado Department of Health Water Quality Division. Reg. 5CCR1003-1, At., R1, Section 5.2.3.
- Cohen S. 1991. Results of the national pesticide survey. *Ground Water Monitoring Review* 11:85-87.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- *Conley BE. 1952. Health hazards of electric vaporizing devices for insecticides. *JAMA* 149:367-369.
- Connel DW, Wu RSS, Richardson BJ, et al. 1998. Fate and risk evaluation of persistence organic contaminants and related compounds in Victoria Harbour, Hong Kong. *Chemosphere* 36(9):2019-2030.
- *Cooper RL, Chadwick RW, Rehnberg GL, et al. 1989. Effect of lindane on hormonal control of reproductive function in the female rat. *Toxicol Appl Pharmacol* 99:384-394.
- *Cornacoff JB, Lauer LD, House RV, et al. 1988. Evaluation of the immunotoxicity of β -hexachlorocyclohexane (β -HCH). *Fund Appl Toxicol* 11:293-299.
- Cristofol RM, Rodriguezfarre E. 1991. Differential presynaptic effects of hexachlorocyclohexane isomers on noradrenaline release in cerebral-cortex. *Life Sci* 49:1111-1119.
- Criswell KA, Loch-Caruso R, Stuenkel EL. 1995. Lindane inhibition of gap junctional communication in myometrial myocytes is partially dependent on phosphoinositide-generated second messengers. *Toxicol Appl Pharmacol* 130:280-293.
- Crockett AB, Wiersma GB, Tai H, et al. 1974. Pesticides in soil: Pesticide residue levels in soils and crops, FY-70—National Soils Monitoring Program (II). *Pestic Monit J* 8:69-97.
- *CT DEP. 1998. Minimum contaminant levels. Connecticut Department of Environmental Protection. Tit. 19, Ch. II, Reg. 19-13-B, Section 102(c).
- *Currie RA, Kadis VW, Breitkreitz WE, et al. 1979. Pesticide residues in human milk, Alberta, Canada—1966-1970, 1977-1978. *Pestic Monit J* 13:52-55.
- *Czaja K, Ludwicki JK, Goralczyk K, et al. 1997. Effect of age and number of deliveries on mean concentration of organochlorine compounds in human breast milk in Poland. *Bull Environ Contam Toxicol* 59:407-413.
- *Czegledi-Janko G, Avar P. 1970. Occupational exposure to lindane: Clinical and laboratory findings. *Br J Ind Med* 27:283-286.
- *Czuczwa JM, Alford-Stevens A. 1989. Optimized gel permeation chromatographic cleanup for soil, sediment wastes and oily waste extracts for determination of semivolatile organic pollutants and PCBs. *J Assoc Off Anal Chem* 72:752-759.

8. REFERENCES

- *Dalsenter PR, Faqi AS, Chahoud I. 1997a. Serum testosterone and sexual behavior in rats after prenatal exposure to lindane. *Bull Environ Contam Toxicol* 59:360-366.
- *Dalsenter PR, Faqi AS, Webb J, et al. 1997b. Reproductive toxicity and toxicokinetics of lindane in the male offspring of rats exposed during lactation. *Hum Exp Toxicol* 16:146-153.
- *Dalsenter PR, Faqi AS, Webb J, et al. 1996. Reproductive toxicity and tissue concentrations of lindane in adult male rats. *Hum Exp Toxicol* 15:406-410.
- Dangwal SK. 1982. Determination of 1,2,3,4,5,6-hexachlorocyclohexane (BHC) in air by microdiffusion method. *Am Ind Hyg Assoc J* 43:912-914.
- *Danopoulos E, Melissinos K, Katsas G. 1953. Serious poisoning by hexachlorocyclohexane. *Arch Ind Hyg* 8:582-587.
- Davies JE. 1975. Occupational and environmental pesticide exposure study in South Florida. Report to U.S. Environmental Protection Agency, Washington, DC. Contract No. 68-02-1277.
- *Davies JE, Dedhia H, Morgade C, et al. 1983. Lindane poisonings. *Arch Dermatol* 119:142-144.
- *Davis JR, Brownson RC, Garcia R. 1992. Family pesticide use in the home, garden, orchard, and yard. *Arch Environ Contam Toxicol* 22:260-266.
- Day GM, Hart BT, McKelvie ID, et al. 1997. Influence of natural organic matter on the sorption of biocide onto goethite, I. γ -BHC and atrazine. *Environmental Technology* 18:769-779.
- *DE DNREC. 1998a. Minimum contaminant levels. Delaware Department of Natural Resources and Environmental Control. Reg. PDWS, Section 22.6(22.611)(A).
- *DE DNREC. 1998b. Surface water quality standards. Delaware Department of Natural Resources and Environmental Control. Reg. Pt. Section 9(9.1).
- *DeJongh J, Blaabuwer BJ. 1997. Simulation of lindane kinetics in rats. *Toxicology* 122:1-9.
- Delhoyo N, Pulido JA, Perezalbarsanz MA. 1991. Lindane impairs glucose-transport in rat-brain cortex cells. *Pflugers Arch* 418:157
- Descampiaux B, Imbenotte M, Desenclos V, et al. 1997. ^1H NMR investigation of toxic effects of lindane and paraquat on hep 3B and hep G2 human hepatoma cell lines. *Chem Res Toxicol* 10:34-40.
- *Desi I. 1974. Neurotoxicological effect of small quantities of lindane. *Int Arch Arbeitsmed* 33:153-162.
- *Desi I, Varga L, Farkas I. 1978. Studies on the immunosuppressive effect of organochlorine and organophosphoric pesticides in subacute experiments. *J Hyg Epidemiol Microbiol Immunol (Praha)* 22:115-122.
- *Dewan A, Gupta SK, Jani JP, et al. 1980. Effect of lindane on antibody response to typhoid vaccine in weanling rats. *J Environ Sci Health B* 15:395-402.

8. REFERENCES

DHHS. 1998. National Toxicology Program Report on Carcinogens, Eight Edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Services, National Institute of Environmental Health Services.

*Dick IP, Blain PG, Williams FM. 1997a. The percutaneous absorption and skin distribution of lindane in man. I. *In vivo* studies. *Hum Exp Toxicol* 16:645-651.

*Dick IP, Blain PG, Williams FM. 1997b. The percutaneous absorptin and skin distribution of lindane in man. II. *In vitro* studies. *Hum Exp Toxicol* 16:652-657.

*Dietrich DR, Swenberg JA. 1990. Lindane induces nephropathy and renal accumulation of $\alpha 2\mu$ -globulin in male but not in female Fischer 344 rats or male NBR rats. *Toxicol Letters* 53:179-181.

*Dietrich DR, Swenberg JA. 1991. NCI-Black-Reiter (NBR) male rats fail to develop renal disease following exposure to agents that induce $\alpha 2\mu$ -globulin ($\alpha 2\mu$) nephropathy. *Fundam Appl Toxicol* 16:749-762.

*Dikshith TSS, Datta KK. 1972. Effect of intratesticular injection of lindane and endrin on the testes of rats. *Acta Pharmacol Toxicol* 31:1-10.

*Dikshith TSS, Carrera G, Raizada RB, et al. 1989a. Interaction of hexachlorocyclohexane (HCH) and chloropropham (CIPC) in male rats. *Toxicol Lett* 45:281-288.

*Dikshith TSS, Chandra P, Datta KK. 1973. Effect of lindane on the skin of albino rats. *Experientia* 29:684-685.

*Dikshith TSS, Datta KK, Kushwah HS, et al. 1978. Histopathological and biochemical changes in guinea pigs after repeated dermal exposure to benzene hexachloride. *Toxicology* 10:55-66.

Dikshith TSS, Raizada RB, Singh RP, et al. 1989. Acute toxicity of hexachlorocyclohexane (HCH) in mice, rats, rabbits, pigeons and freshwater fish. *Vet Hum Toxicol* 31(2):113-116.

*Dikshith TS, Raizada RB, Singh V, et al. 1991c. Repeated dermal toxicity of technical HCH and methyl parathion (50EC) to female rats (*Rattus norvigicus*). *Indian J Exp Biol* 29:149-155.

*Dikshith TSS, Raizada RB, Srivastava MK, et al. 1989b. Dermal toxicity of hexachlorocyclohexane (HCH) in rabbit. *Indian J Exp Biol* 27:252-257.

*Dikshith T SS, Raizada RB, Srivastava MK. 1991a. Long-term dietary study and development of no-observed-effect level (NOEL) of technical hexachlorocyclohexane to rats. *J Toxicol Environ Health* 34:495-507.

*Dikshith TS, Srivastava MK, Raizada RB. 1990. Fetotoxicity of hexachlorocyclohexane (HCH) in mice: morphological, biochemical and residue evaluations. *Vet Hum Toxicol* 32:524-527.

*Dikshith TS, Srivastava MK, Raizada RB. 1991b. Response of young rats to repeated oral administration of technical hexachlorocyclohexane. *Vet Hum Toxicol* 33:235-237.

8. REFERENCES

- *DiMuccio A, Rizzica M, Ausili A, et al. 1988. Selective on-column extraction of organochloride pesticide residues from milk. *J Chromatogr* 456:143-148.
- *Donald DB, Block H, Wood J. 1997. Role of ground water on hexachlorocyclohexane (lindane) detections in surface water in Western Canada. *Environ Toxicol Chem* 16(9):1867-1872.
- *Dorfler U, Schneider P, Scheunert I. 1991a. Volatilization rates of pesticides from soil and plant surfaces under controlled conditions. *Toxicol Environ Chem* 31-32:87-95.
- *Dorfler U, Adler-Koehler R, Schneider P, et al. 1991b. A laboratory model system for determining the volatility of pesticides from soil and plant surfaces. *Chemosphere* 23:485-496.
- DOT. 1989a. Hazardous materials table. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.
- DOT. 1989b. Hazardous materials table. U.S. Department of Transportation. Federal Regulations 54(185):39501-39505.
- Drummer HL, Woolley DE. 1991. Toxicokinetics of RO 5-4864, lindane and picrotoxin compared. *Pharmacol Biochem Behav* 38:235-242.
- Dua VK, Kumari R, Sharma VP. 1996. HCH and DDT contamination of rural ponds of India. *Bull Environ Contam Toxicol* 57:568-574.
- *Dua VK, Pant CS, Sharma VP. 1997. HCH and DDT residues in human and bovine milk at Hardwar, India. *Indian J Malariol* 34:126-131.
- *Dua VK, Pant CS, Sharma VP, et al. 1998. HCH and DDT in surface extractable skin lipid as a measure of human exposure in India. *Bull Environ Toxicol* 60:238-244.
- *Duff RM, Kissel JC. 1996. Effect of soil loading on dermal absorption efficiency from contaminated soil. *J Toxicol Environ Health* 48:98-106.
- *Durell GS, Sauer TC. 1990. Simultaneous dual-column, dual-detector gas chromatographic determination of chlorinated pesticides and polychlorinated biphenyls in environmental samples. *Anal Chem* 62:1867-1871.
- *Dzwonkowska A, Hubner H. 1986. Induction of chromosomal aberrations in the Syrian hamster by insecticides tested in vivo. *Arch Toxicol* 58:152-156.
- *Edgerton TR, Moseman RF, Linder RE, et al. 1979. Multi-residue method for the determination of chlorinated phenol metabolites in urine. *J Chromatogr* 170:331-342.
- *Egeler P, Meller RM, Knacker T, et al. 1997. Bioaccumulation of lindane and hexachlorobenzene by tubificid sludge worms (oligochaeta) under standardised laboratory conditions. *Chemosphere* 35(4):835-852.
- *Eichler D, Heupt W, Paul W. 1983. Comparative study on the distribution of α - and γ -hexachlorocyclohexane in the rat with particular reference to the problem of isomerization. *Xenobiotica* 13:639-647.

8. REFERENCES

- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- *Ejobi F, Kanja LW, Muller P, et al. 1996. Organochlorine pesticide residues in mothers milk in Uganda. *Bull Environ Contam Toxicol* 56:873-880.
- El Beit IOD, Wheelock JV, Cotton DE. 1981. Factors involved in the dynamics of pesticides in soils: The effect of temperature and period of contact on leachability and adsorption of pesticides by soils. *Int J Environ Studies* 16:189-196.
- *Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: Diagnosis and treatment of human poisoning. New York, NY: Elsevier 1078-1080.
- Enan E, Matsumura F. 1998. Activation of c-neu tyrosine kinase by o,p'-DDT and β -HCH in cell-free and intact cell preparations from MCF-7 human breast cancer cells. *J Biochem Molecular Toxicology* 12(2):83-92.
- Engst R, Macholz R, Kujawa M, et al. 1976. The metabolism of lindane and its metabolites γ -2,3,4,5,6-pentachlorocyclohexene, pentachlorobenzene, and pentachlorophenol in rats and the pathways of lindane metabolism. *J Environ Sci Health* B11:95-117.
- *Engst R, Macholz RH, Kujawa H. 1979. [Metabolism of lindane in microbial organisms, warm-blooded animals and humans.] *Gig Sanit* 10:64-65. (Russian)
- *EPA. 1974a. Lindane: Tolerances for residues. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.133.
- *EPA. 1974b. Lindane: Tolerances for residues. U.S. Environmental Protection Agency. *Federal Register* 39(75):13776.
- EPA. 1975. National primary drinking water regulations: Maximum contaminant levels. U.S. Environmental Protection Agency. *Federal Register* 40(748):59570.
- EPA. 1977. Toxic pollutant effluent standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 129.
- *EPA. 1978. Designation of hazardous substances. U.S. Environmental Protection Agency. *Federal Register* 43(49):10474-10487.
- EPA. 1979. Toxic pollutants. U.S. Environmental Protection Agency. *Federal Register* 44(147):44502-44503.
- EPA. 1980a. Ambient water quality criteria for hexachlorocyclohexane. Washington, DC: Criteria and Standards Office, U.S. Environmental Protection Agency. EPA 440/5-80-054, PB81-117657.
- EPA. 1980b. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. *Federal Register* 45:79347-79357.

8. REFERENCES

- *EPA. 1980c. Manual of analytical methods for the analysis of pesticides in humans and environmental samples. Research Triangle Park, NC: Health Effects Research Laboratory, Environmental Toxicology Division, U.S. Environmental Protection Agency. EPA 600/8-80-038.
- EPA. 1981. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 1984. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.
- *EPA. 1985a. Drinking water criteria document for lindane. Cincinnati, OH: Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency. EPA-600/X-84-182-1.
- *EPA. 1985b. Guidance for the reregistration of pesticide products containing lindane as the active ingredient. Washington, DC: Office of Pesticides and Toxic Substances, U.S. Environmental Protection Agency. EPA RS-85-027, 4-5.
- *EPA. 1986a. Quality criteria for water. Washington, DC: U.S. Environmental Protection Agency. EPA 440/5-86-001.
- *EPA. 1986b. Test methods for evaluating solid waste: Volume 1B: Laboratory manual: Physical/chemical methods. Washington, DC: Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency. SW-846 third edition.
- *EPA. 1987a. Health advisory for lindane. Washington, DC: Office of Drinking Water, U.S. Environmental Protection Agency.
- EPA. 1987b. Health and environmental effects profile for hexachlorocyclohexanes. Cincinnati, OH: Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency. EPA 600/X-88/248.
- *EPA. 1987c. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 52(77):13395-13410.
- *EPA. 1987d. List (phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Federal Register 52(131):25942-25953.
- *EPA. 1987e. Maximum concentration of constituents for ground-water protection. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.94.
- EPA. 1988a. June quarterly update for HEA and HEED chemicals. Memorandum from Chris DeRosa, Environmental Criteria and Assessment Office, Cincinnati, OH, to Bruce Means. July 15, 1988.
- EPA. 1988b. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403 Appendix B.
- *EPA. 1988c. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Federal Register 53(200):40610-40616.

8. REFERENCES

*EPA. 1988d. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Federal Register 53(78):13382-13393.

*EPA. 1988e. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Federal Register 53(30):4500-4554.

*EPA. 1989a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

*EPA. 1989b. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

*EPA. 1989c. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Federal Register 54(155):33428-33484.

*EPA. 1990a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency. EPA/600/8-90/066A.

*EPA. 1990b. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355.

*EPA. 1990c. Nonoccupational pesticide exposure study (NOPES): Final report. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Atmospheric Research and Exposure Assessment Laboratory. EPA/600/3-90/003.

*EPA. 1990d. Toxicity characteristic. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.

*EPA. 1990e. Toxicity characteristic. U.S. Environmental Protection Agency. Federal Regulations 55(61):11863.

*EPA. 1991a. A-2 μ -globulin: Association with chemically-induced renal toxicity and neoplasia in the male rat. Final draft. Washington, D.C.: U.S. Environmental Protection Agency. EPA/624/3-91/019A.

*EPA. 1991b. Ambient water quality criteria summary concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Science and Technology, Health and Ecological Criteria Division, Ecological Risk Assessment Branch, Human Risk Assessment Branch.

*EPA. 1991c. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

*EPA. 1991d. National primary drinking water regulations: Maximum contaminant levels. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.12.

*EPA. 1991e. National primary drinking water regulations: Maximum contaminant level goals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.

8. REFERENCES

*EPA. 1991f. National primary drinking water regulations: Maximum contaminant level goals. U.S. Environmental Protection Agency. Federal Register 56(20):3592-3594.

*EPA. 1991g. Regulations for the acceptance of certain pesticides and recommended procedures for the disposal and storage of pesticides and pesticide containers. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 165.

*EPA. 1991h. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.

*EPA. 1993. Notice of Receipt of Requests for Amendments to Delete Uses in Certain Pesticide Registrations. U.S. Environmental Protection Agency. Federal Register 58(220):60630-60631.

*EPA. 1995. US Environmental Protection Agency. Drinking water regulations and health advisories. Office of Water, Washington, DC.

*EPA. 1996a. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.

*EPA. 1996b. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355 (Appendix A).

*EPA. 1996c. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4 (Table 302.4).

*EPA. 1996d. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

*EPA. 1996e. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 4.01.15.

*EPA. 1996f. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f)

*EPA. 1996g. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261 (Appendix VII).

*EPA. 1996h. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.

*EPA. 1996i. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

*EPA. 1996j. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 130.

*EPA. 1996k. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.133.

*EPA. 1998a. Integrated Risk Information System (IRIS), Office of Research and Development, National Center for Environmental Assessment.

*EPA. 1998b. USEPA Restricted Use Products (RUP) Report, October 1998. Office of Pesticide Programs.

*Fagan J. 1981. Henoch-Schonlein purpura and γ -benzene hexachloride [letter]. Pediatrics 67:310-311.

8. REFERENCES

- *FAO/WHO. 1978. Pesticide residues in food—1977. FAO plant production and protection paper. Geneva, Switzerland: Food and Agriculture Organization of the United Nations/World Health Organization.
- Farkas I, Desi I, Dura G. 1976. Differences in the acute and chronic neurotoxic effects of chlorinated hydrocarbon, organophosphate and carbamate pesticides. *Adverse Effects Environ Chem Psychotrop Drugs* 2:201-213.
- *Farm Chemicals Handbook. 1993. Pesticide dictionary. Willoughby, OH: Meister Publishing Company, C204.
- Farmer JW, Letery J. 1974. Volatilization losses of pesticides from soil. Washington, DC: Office of Research and Development, U.S. Environmental Protection Agency. EPA 600/2-74-054.
- Fazzalari FA, ed. 1978. Compilation of odor and taste threshold values data. ASTM data series DS 48A (Committee E-18). American Society for Testing and Materials, Philadelphia, PA.
- FDA. 1977. U.S. Food and Drug Administration. Compliance program evaluation: FY 1974 total diet studies (7320.08). Washington, DC: Bureau of Foods, U.S. Government Printing Office, Table 6.
- *FDA. 1982. Bottled water: Quality standards. U.S. Food and Drug Administration. *Federal Register* 46(157):41037.
- *FDA. 1989a. Bottled water: Quality standards. U.S. Food and Drug Administration. *Code of Federal Regulations*. 21 CFR 103.35.
- *FDA. 1989b. U.S. Food and Drug Administration program residues in foods—1988. *J Assoc Off Anal Chem* 72:134A-152A.
- *Feldmann RJ, Maibach HI. 1974. Percutaneous penetration of some pesticides and herbicides in man. *Toxicol Appl Pharmacol* 28:126-132.
- *Fendinger NJ, Adams DD, Glotfelty DE. 1992. The role of gas ebullition in the transport of organic contaminants from sediments. *Sci Total Environ* 112:189-201.
- Fernandez Muino M, De la Montana Miguelez J, Simal Lozano J. 1991. AGC method for chlorinated pesticides and polychlorinated biphenyls in mussels. *Chromatographia* 31:453-456.
- *Ferrando MD, Alarcon V, Fernandez-Casalderrey A, et al. 1992. Persistence of some pesticides in the aquatic environment. *Bull Environ Contam Toxicol* 48:747-755.
- Ferrer A, Bona MA, Castellano M, et al. 1992. Organochlorine residues in human adipose tissue of the population of Zaragoza, Spain. *Bull Environ Contam Toxicol* 48:561-566.
- *Fishman BE, Gianutsos G. 1987. Differential effects of γ -hexachlorocyclohexane (lindane) on pharmacologically-induced seizures. *Arch Toxicol* 59:397-401.
- *Fishman BE, Gianutsos G. 1988. CNS biochemical and pharmacological effects of the isomers of hexachlorocyclohexane (lindane) in the mouse. *Toxicol Appl Pharmacol* 93:146-153.

8. REFERENCES

- *Fitzhugh OG, Nelson AA, Frawley JP. 1950. The chronic toxicities of technical benzene hexachloride and its α , β and γ isomers. *J Pharmacol Exp Ther* 100:59-66.
- *Fitzloff JF, Pan JC. 1984. Epoxidation of the lindane metabolite, β -PCCH, by human- and rat-liver microsomes. *Xenobiotica* 14:599-604.
- *Fitzloff JF, Portig J, Stein K. 1982. Lindane metabolism by human and rat liver microsomes. *Xenobiotica* 12:197-202.
- *FL DEP. 1998. Minimum contaminant levels. Florida Department of Environmental Protection.
- Foerster B, Marcinkowski A, Schallnass H, et al. 1991. Environmental behavior of chemicals in a compartment of the terrestrial ecosystem. Effects on the microbial soil respiration. *Verh Ges Oekol* 19:149-56.
- Fogarty AM, Tuovinen OH. 1991. Microbiological degradation of pesticides in yard waste composting. *Microbiol Rev* 55:225-233.
- *Fonseca RG, Resende LAL, Silva MD, et al. 1993. Chronic motor neuron disease possibly related to intoxication with organochlorine insecticides. *Acta Neurol Scand* 88:56-58.
- *Ford WM, Hill EP. 1991. Organochlorine pesticides in soil sediments and aquatic animals in the Upper Steele Bayou watershed of Mississippi (USA). *Arch Environ Contam Toxicol* 20:160-167.
- France JE, King JW, Snyder JM. 1991. Supercritical fluid-based cleanup technique for the separation of organochlorine pesticides from fats. *J Agric Food Chem* 39:1871-1874.
- Francis A, Spanggord R, Ouchi G. 1975. Degradation of lindane by *Escherichia coli*. *Appl Microbiol* 29:567-568.
- Frank R, Braun HE, Wilkie I, et al. 1991. A review of insecticide poisonings among domestic livestock in Southern Ontario, Canada, 1982-1989. *Can Vet J-Revue Veterinaire Canadienne* 32:219.
- Frank R, Braun HE, Clegg BS, et al. 1990a. Survey of farm wells for pesticides Ontario, Canada 1986 and 1987. *Bull Environ Contam Toxicol* 44:410-419.
- *Frank R, Braun HE, Stonefield KI, et al. 1990b. Organochlorine and organophosphorus residues in the fat of domestic farm animal species, Ontario, Canada 1986-1988. *Food Addit Contam* 7:629-636.
- *Franz TJ, Lehman PA. 1996. Comparative percutaneous absorption of lindane and permethrin. *Arch Dermatol* 132:901-905.
- Freal JJ, Chadwick RW. 1973. Metabolism of hexachlorocyclohexane to chlorophenols and effect of isomer pretreatment on lindane metabolism in rat. *J Agric Food Chem* 21:424-427.
- *Friberg L, Martensson J. 1953. Case of panmyelophthisis after exposure to chlorophenothenone and benzene hexachloride. *AMA Arch Ind Hyg* 8:166-169.

8. REFERENCES

- FSTRAC. 1990. Federal-State Toxicology and Regulatory Committee. Summary of state and federal drinking water standards and guidelines. Washington, DC. March 1988.
- Fuentes A, Simmons MS. 1991. Sampling and analysis of hazardous wastes to toxic pollutants. In: Simmons MS, ed. Hazardous waste measurements. Chelsea, Michigan: Lewis Publishers, Inc. 17-34.
- *Fytianos K, Vasilkiotis G, Weil L, et al. 1985. Preliminary study of organochlorine compounds in milk products, human milk, and vegetables. *Bull Environ Contam Toxicol* 34:504-508.
- *GA DNR. 1998. Minimum contaminant levels. Georgia Department of Natural Resources. Dep. 391, Div. 3, Section 22.6(22.611)(A).
- *Gaines T. 1960. The acute toxicity of pesticides to rats. *Toxicol Appl Pharmacol* 2:88-99.
- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986a. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem* 69:123-145.
- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986b. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem* 69:146-161.
- *Gautam AK, Gandhi DN, Jani JP, et al. 1989. Histological and pharmacological changes in vas deferens of rats exposed to hexachlorocyclohexane. *Res Commun Chem Pathol Pharmacol* 63:463-466.
- Geissler A, Schoeler HF. 1991. The analysis of chloropesticides and PCB in water: A statistical evaluation of four enrichment methods. *Chemosphere* 23:1029-1041.
- German P, Lift B. 1992. Organochlorine compounds in the blood of patients seen by a general practitioner in a rural area. *Klin Labor* 38:425-446.
- *Gewin HM. 1939. Benzene hexachloride and aplastic anemia. *JAMA* 14:296-297.
- Ghosh SK, Doctor PB, Bhatnagar VK, et al. 1997. Response of three microbial test systems to pesticides. *Bull Environ Contam Toxicol* 58:482-488.
- *Gilbert ME. 1995. Repeated exposure to lindane leads to behavioral sensitization and facilitates electrical kindling. *Neurotoxicol Teratol* 17:131-141.
- *Gilbert ME, Mack CM. 1995. Seizure thresholds in kindled animals are reduced by the pesticides lindane and endosulfan. *Neurotoxicol Teratol* 17:143-150.
- Geyer H, Scheunert I, Friedhelm K. 1987. Correlation between the bioconcentration portion of organic environmental chemicals in humans and their n-octanol/water partition coefficients. *Chemosphere* 16:239-252.
- *Geyer HJ, Scheunert I, Bruggemann R, et al. 1997. Half-lives and bioconcentration of lindane (gamma-HCH) in different fish species and relationship with their lipid content. *Chemosphere* 35(1/2):343-351.

8. REFERENCES

- Giménez-Lort L, Martínez E, Camón L, et al. 1996. Concentration of putrescine in plasma, frontal cortex and hippocampus of rats after systemic administration of the convulsants N-methyl-D-aspartate, pentylenetetrazol, picrotoxinine, lindane and 4-aminopyridine. *Neurosci Lett* 217:1-4.
- *Ginsburg CM, Lowry W, Reisch JS. 1977. Absorption of lindane (γ benzene hexachloride) in infants and children. *J Pediatrics* 91:998-1000.
- Glukhova LG. 1991. Changes in the activity of enzyme and electrolyte composition of blood serum under successive exposure to ethanol and organochlorine pesticides. *Gig Sanit* 2:58-59.
- *Gold-Bouchot G, Silva-Herrera T, Zapata-Pérez O. 1995. Organochlorine pesticide residue concentrations in biota and sediments from Río Palizada, Mexico. *Bull Environ Contam Toxicol* 54:554-561.
- Goldey ES, Taylor DH. 1992. Developmental neurotoxicity following premating maternal exposure to hexachlorobenzene in rats. *Neurotoxicol Teratol* 14:15-21.
- Gomez-Catalan J, To-Figueras J, Rodamilans M, et al. 1991. Transport of organochlorine residues in the rat and human blood. *Arch Environ Contam Toxicol* 20:61-66.
- *Goosens EC, Bunschoten RG, Engelen V, et al. 1990. Determination of hexachlorocyclohexanes in ground water by coupled liquid-extraction and capillary gas chromatography. *J High Resolut Chromatogr* 13:438-442.
- *Gopal K, Anand M, Khanna RN, et al. 1992. Some neurotoxicological consequences of hexachloro-cyclohexane (HCH) stress in rats fed on protein deficient diet. *Toxicol Environ Chem* 36:57-63.
- *Gopalaswamy UV, Aiyar AS. 1984. Biotransformation of lindane in the rat. *Bull Environ Contam Toxicol* 32:148-156.
- Gopalaswamy U, Aiyar A. 1986. Biotransformation and toxicity of lindane and its metabolite hexachlorobenzene in mammals. *IARC Sci Publ*. 267-276.
- Gopalaswamy UV, Nair CKK. 1992. DNA-binding and mutagenicity of lindane and its metabolites. *Bull Environ Contam Toxicol* 49:300-305.
- Goutner V, Charalambidou I, Albanis TA. 1996. Organochlorine insecticide residues in eggs of the little tern (*Sterna albifrons*) in the Axios Delta, Greece. *Bull Environ Contam Toxicol* 58:61-66.
- Govind R, Flaherty PA, Dobbs RA. 1991. Fate and effects of semivolatile organic pollutants during anaerobic digestion of sludge. *Water Res* 25(5):547-556.
- *Govind R, Flaherty PA, Dobbs RA. 1991. Fate and effects of semivolatile organic pollutants during anaerobic digestion of sludge. *Water Res* 25:547-556.
- *Grabarczyk M, Kopec-Szlezak J, Szczepanska I, et al. 1990. The effect of γ -hexachlorocyclohexane (lindane) on blood cells, kidney and liver tissues in rabbits. *Haematologia* 23:171-179.
- Granier LK, Chevreuil M. 1997. Behaviour and spatial and temporal variations of polychlorinated biphenyls and lindane in the urban atmosphere of the Paris area, France. *Atmospheric Environment* 31(22):3787-3802.

8. REFERENCES

- *Grey WE, Marthre DE, Rogers SJ. 1983. Potential exposure of commercial seed-treating applicators to the pesticides carboxin-thiram and lindane. *Bull Environ Contam Toxicol* 31:244-250.
- *Griffith FD Jr, Blanke RV. 1975. Pesticides in people: Blood organochlorine pesticide levels in Virginia residents. *Pestic Monit J* 8:219-224.
- Griffith J, Duncan RC. 1985. Serum organochlorine residues in Florida citrus workers compared to the National Health and Nutrition Examination survey sample. *Bull Environ Contam Toxicol* 35:411-417.
- Grisamore SB, Hile JP, Otten RJ. 1991. Pesticide residues on grain products. *Cereal Foods World* 36:434-437.
- Guan X, Ruch RJ. 1996. Gap junction endocytosis and lysosomal degradation of connexin43-P2 in WB-F344 rat liver epithelial cells treated with DDT and lindane. *Carcinogenesis* 17(9):1791-1798.
- *Gunderson EL. 1988. FDA total diet study, April 1982–April 1984: Dietary intakes of pesticides, selected elements and other chemicals. *J Assoc Off Anal Chem* 71:1200-1209.
- *Gupta RC, Karnik AB, Nigam SK, et al. 1978. Comparative laboratory evaluation of some reported methods for the determination of DDT and BHC insecticides in human blood. *Analyst* 103:723-727.
- Gutierrez-Ocana MT, Senar S, Perez-Albarsanz MA, et al. 1992. Lindane-induced modifications to membrane lipid structure: Effect on membrane fluidity after subchronic treatment. *Biosci Rep* 12:303-311.
- *Haider K. 1979. Degradation and metabolism of lindane and other hexachlorocyclohexane isomers by anaerobic and aerobic soil microorganisms. *Z Naturforsch* 34:1066-1069.
- *Hamada M, Kawano E, Kawamura S, et al. 1981. Radiation- and photo-induced degradation of five isomers of 1,2,3,4,5,6-hexachlorocyclohexane. *Agric Biol Chem* 45:659-665.
- *Hanada M, Yutani C, Miyaji T. 1973. Induction of hepatoma in mice by benzene hexachloride. *Gann* 64:511-513.
- *Hanig JP, Yoder PD, Krop S. 1976. Convulsions in weanling rabbits after a single topical application of 1% lindane. *Toxicol Appl Pharmacol* 38:463-469.
- Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York: John Wiley and Sons, 202.
- Hansen P-D. 1980. Uptake and transfer of the chlorinated hydrocarbon lindane (γ -BHC) in a laboratory freshwater food chain. *Environ Pollut (Series A)* 21:97-108.
- *Hargrave BT, Vass WP, Erickson PE, et al. 1988. Atmospheric transport of organochlorines to the Arctic Ocean. *Tellus* 40B:480-493.
- *Harris CJ, Williford EA, Kemberling SR, et al. 1969. Pesticide intoxications in Arizona. *Ariz Med* 26:872-876.

8. REFERENCES

- Harrison MA, Nicholls T, Rousseaux CG. 1980. Lindane toxicity in lambs. *Aust Vet J* 56:42.
- Hassoun EA, Bagchi D, Stohs SJ. 1996. TCDD, endrin and lindane induced increases in lipid metabolites in maternal sera and amniotic fluids of pregnant C57BL/6J and DBA/2J mice. *Res Commun Mol Pathol Pharmacol* 94(2):157-169.
- *Hassoun EA, Stohs SJ. 1996a. Comparative teratological studies on TCDD, endrin, and lindane in C57BL/6J and DBA/2J mice. *Comp Biochem Physiol* 113C(3):393-398.
- Hassoun EA, Stohs SJ. 1996b. TCDD, endrin and lindane induced oxidative stress in fetal and placental tissues of C57BL/6J and DBA/2J mice. *Comp Biochem Physiol* 115C(1):11-18.
- Hay A. 1991. A recent assessment of cocoa and pesticides in Brazil: An unhealthy blend for plantation workers. *Sci Total Environ* 106:97-109.
- *Hayes WJ Jr. 1976. Mortality in 1969 from pesticides including aerosols. *Arch Environ Health* 31:61-72.
- *Hayes WJ Jr. 1982. Pesticides studied in man. Baltimore, MD: Williams and Wilkins, 211-228.
- Hazarika R, Das M. 1998. Toxicological impact of BHC on the ovary of the air-breathing catfish *Heteropneustes fossilis* (Bloch). *Bull Environ Contam Toxicol* 60:16-21.
- *Heiberg OM, Wright HN. 1955. Benzene hexachloride poisoning. *Arch Ind Health* 11:457-458.
- *HazDat. 1995. Hazardous Substance Database. Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- *HazDat. 1992. Hazardous substance database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *HazDat. 1998. Hazardous Substance Database. Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- *Heinisch E, Jonas K, Klein S. 1993. HCH isomers in soil and vegetation from the surroundings of an industrial landfill of the former GDR, 1971-1989. *Sci Total Environ* (Suppl Part 1):151-159.
- Henry KS, Kannan K, Nagy BW, et al. 1998. Concentrations and hazard assessment of organochlorine contaminants and mercury in smallmouth bass from a remote lake in the Upper Peninsula of Michigan. *Arch Environ Contam Toxicol* 34:81-86.
- Herbst M, Weisse I, Koellmer H. 1975. A contribution to the question of the possible hepatocarcinogenic effects of lindane. *Toxicology* 4:91-96.
- *HI CWB. 1998. Surface water quality standards. Hawaii Clean Water Branch. Tit. 11, Ch. 54, Section 445A.144.
- *Hiskia A, Mylonas A, Tsipi D, et al. 1997. Photocatalytic degradation of lindane in aqueous solution. *Pestic Sci* 50:171-174.

8. REFERENCES

- *Hitachi M, Yamada K, Takayama S. 1975. Brief communication: Cytologic changes induced in rat liver cells by short-term exposure to chemical substances. *J Natl Cancer Inst* 54(5):1245.
- *Hoff RM, Muir D CG, Grift NP. 1992a. Annual cycle of polychlorinated biphenyls and organohalogen pesticides in air in southern Ontario: 1. Air concentration data. *Environ Sci Technol* 26:266-275.
- *Hoff RM, Muir D CG, Grift NP. 1992b. Annual cycle of polychlorinated biphenyls and organohalogen pesticides in air in southern Ontario: 2. Atmospheric transport and sources. *Environ Sci Technol* 26:276-283.
- Hogue C JR, Brewster MA. 1991. The potential of exposure biomarkers in epidemiologic studies of reproductive health. *Environ Health Perspect* 90:261-270.
- *Hollifield HC. 1979. Rapid nephelometric estimate of water solubility of highly insoluble organic chemicals of environmental interest. *Bull Environ Contam Toxicol* 23:579-586.
- Hong HL, Boorman GA. 1992. Demonstration of residual myelotoxicity in mice exposed to lindane. *FASEB Journal* 6:1912.
- *Hong HL, Boorman GA. 1993. Residual myelotoxicity of lindane in mice. *Fund Appl Toxicol* 21:500-507.
- *HSDB. 1993. Hazardous Substances Data Bank. National Library of Medicine, Toxicology Information Program, Bethesda, MD. March 1992.
- *HSDB. 1997. Hazardous Substance Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD.
- *HSDB. 1998. Hazardous Substance Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD.
- *Huff B, ed. 1988. Physician's desk reference. Oradell, NJ: Medical Economics Co. Inc., 1664-1666.
- *Hulth L, Hoglund L, Bergman A, et al. 1978. Convulsive properties of lindane, lindane metabolites, and the lindane isomer α -hexachlorocyclohexane: Effects on the convulsive threshold for pentylenetetrazol and the brain content of γ -aminobutyric acid (GABA) in the mouse. *Toxicol Appl Pharmacol* 46:101-108.
- *Hurwitz S. 1973. Scabies in babies. *Am J Dis Child* 126:226-228.
- *IA DNR. 1998a. Minimum contaminant levels. Iowa Department of Natural Resources. Tit. III, Div. B, Ch. 41, RI. 567-41.5 (41.5(1))(b)(1).
- *IARC. 1979. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Some halogenated hydrocarbons. *IARC Monogr Eval Carcinog Risk Chem Hum* 20:195-241.
- *IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk to humans: Summary table. Supp. 7:66. Lyon, France: World Health Organization, International Agency for Research on Cancer.

8. REFERENCES

- *IARC. 1994. IARC monographs on the evaluation of carcinogenic risk of chemicals to humans: Lists of IARC evaluations. World Health Organization, International Agency for Research on Cancer, Lyon, France.
- Ichikawa H. 1972. Pathology of BHC poisoning. Biotechnol 3:111-116.
- *ID DHW. 1998. Minimum contaminant levels. Idaho Department of Health and Welfare.
- *Ikegami S, Tsuchihashi F, Nishida E. 1991a. Changes in lipid components in liver and serum and production of lipid peroxide in liver by organochlorine pesticides in rats. Shokuhin Eiseigaku Zasshi 32:284-290.
- *Ikegami S, Tsuchihashi F, Nishide E. 1991b. Decrease in hepatic storage of vitamin A and induction of cytochrome P-450 by dietary organochlorine pesticides in rats. J Food Hyg Soc Japan 32:1-7.
- *IL EPA. 1998. Minimum contaminant levels. Illinois Environmental Protection Agency. Tit. 35, Subti. F, Ch. I, Pt. 611, Subpt. F, Section 611.311(c).
- *IN OWM. 1998. Minimum contaminant levels. Indiana Office of Water Management. Tit. 327, Art. 8, RL 2, Section 5(a).
- *IRIS. 1993. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.
- *IRIS. 1996. Integrated Risk Information Systems. U.S. Environmental Protection Agency. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. December 30, 1996.
- *IRIS. 1998. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.
- *Ishidate MJ, Odashima S. 1977. Chromosome tests with 134 compounds on Chinese hamster cells in vitro—a screening for chemical carcinogens. Mutat Res 49:337-354.
- *Ito N, Nagasaki H, Arai M, et al. 1973. Histologic and ultrastructural studies on the hepatocarcinogenicity of benzene hexachloride in mice. J Natl Cancer Inst 51:817-826.
- *Ito N, Nagasaki H, Aoe H, et al. 1975. Development of hepatocellular carcinomas in rats treated with benzene hexachloride. J Natl Cancer Inst 54:801-805.
- *Ito N, Hananouchi M, Sugihara S, et al. 1976. Reversibility and irreversibility of liver tumors in mice induced by the α -isomer of 1,2,3,4,5,6-hexachlorocyclohexane. Cancer Res 36:2227-2230.
- *Iverson F, Ryan JJ, Lizotte R, et al. 1984. *In vivo* and *in vitro* binding of α - and γ -hexachlorocyclohexane to mouse liver macromolecules. Toxicol Lett 20:331-335.
- *Jacobsen BN, Nyholm N, Pedersen BM, et al. 1991. Microbial degradation of pentachlorophenol and lindane in laboratory-scale activated sludge reactors. Water Sci Technol 23:349-356.

8. REFERENCES

- *Jaeger U, Podczeck A, Haubenstock A, et al. 1984. Acute oral poisoning with lindane-solvent mixtures. *Vet Hum Toxicol* 26:11-14.
- Janik F, Wolf HU. 1992. The Ca(2+)-transport-ATPase of human erythrocytes as an *in vitro* toxicity test system--acute effects of some chlorinated compounds. *J Appl Toxicol* 12:351-358.
- Javaroni Rd C, Talamoni J, Landgraf MD, et al. 1991. Degradation of lindane in aqueous solution under γ irradiation. *Quim Nova* 14:237-239.
- *Jedlicka V, Hermanska Z, Smida I, et al. 1958. Paramyeloblastic leukemia appearing simultaneously in two blood cousins after simultaneous contact with gammexane (hexachlorocyclohexane). *Acta Med Scand* 161:447-451.
- *Jenssen D, Ramel C. 1980. The micronucleus test as part of a short-term mutagenicity test program for the prediction of carcinogenicity evaluated by 143 agents tested. *Mutat Res* 75:191-202.
- *Joseph P, Shivanandappa T, Krishnakumari MK. 1992a. Influence of vitamin A on hexachlorocyclohexane (HCH) toxicity in the rat. *J Nutr Biochem* 3:408-414.
- *Joseph P, Shivanandappa T, Narasimhamurthy K, et al. 1992b. Effect of vitamin A on hexachlorocyclohexane (HCH) toxicity in the rat. *Gen Pharmacol* 23:1159-1164.
- *Joseph P, Viswanatha S, Krishnakumari MK. 1992c. Role of vitamin A in the haematotoxicity of hexachlorocyclohexane (HCH) in the rat. *J Environ Sci Health B* 27:269-280.
- *Joy R. 1982. Mode of action of lindane, dieldrin, and related insecticides in the central nervous system. *Neurobehav Toxicol Teratol* 4:813-823.
- *Joy R, Albertson T. 1985. Lindane and limbic system excitability. *Neurotoxicology* 6:193-214.
- *Joy RM, Stark LG, Albertson TE. 1982. Proconvulsant effects of lindane: Enhancement of amygdaloid kindling in the rat. *Neurobehav Toxicol Teratol* 4:347-354.
- Ju YH, Chen TC, Liu JC. 1997. A study on the biosorption of lindane. *Colloids and Surfaces B: Biointerfaces* 9:187-196.
- *Jung D, Becher H, Edler L, et al. 1997. Elimination of β -hexachlorocyclohexane in occupationally exposed person. *J Toxicol Environ Health* 51:23-34.
- *Junqueira VBC, Barros SBM, Simizu K, et al. 1993. Turnover of hepatic glutathione after acute lindane intoxication. *Toxicol Lett* 69:211-216.
- Junquiera VBC, Koch OR, Arisi ACM, et al. 1997. Regression of morphological alterations and oxidative stress-related parameters after acute lindane-induced hepatotoxicity in rats. *Toxicology* 117:199-205.
- Junqueira VBC, Simizu K, Videla LA, et al. 1986. Dose-dependent study of the effects of acute lindane administration on rat liver superoxide anion production, antioxidant enzyme activities and lipid peroxidation. *Toxicology* 41:193-204.

8. REFERENCES

- Junqueira VB, Simizu K, Pimentel R, et al. 1991. Effect of phenobarbital and 3-methylcholanthrene on the early oxidative stress component induced by lindane in rat liver. *Xenobiotica* 21:1053-65.
- *Just AC, Hawker DW, Connell DW. 1990. Partitioning of lindane between sediment, water, and the crustacean *Metapenaeus macleayi*. *Aust J Marine Freshwater Res* 41:389-397.
- Kadenczki L, Arpad Z, Gardi I, et al. 1992. Column extraction of residues of several pesticides from fruits and vegetables: A simple multiresidue analysis method. *J AOAC Int* 75:53-61.
- Kalbitz K, Popp P, Geyer W, et al. 1997. β -HCH mobilization in polluted wetland soils as influenced by dissolved organic matter. *Sci Total Environ* 204:37-48.
- Kale SP, Sarma G, Goswami UC, et al. 1996. Uptake and distribution of ^{14}C -carbofuran and ^{14}C -HCH in cat fish. *Chemosphere* 33(3):449-451.
- Kanazawa J. 1981. Measurement of the bioconcentration factors of pesticides by freshwater fish and their correlation with physicochemical properties or acute toxicities. *Pestic Sci* 12:417-424.
- KAN-DO Office and Pesticides Team. 1995. Accumulated pesticide and industrial chemical findings from a ten-year study of ready-to-eat foods. *J AOAC Int* 78:614-631.
- *Kanja LW, Skaare JU, Ojwang SBO, et al. 1992. A comparison of organochlorine pesticide-residues in maternal adipose-tissue, maternal blood, cord blood, and human-milk from mother infant pairs. *Arch Environ Contam Toxicol* 22:21-24.
- *Kapoor SK, Chawla RP, Kalra RL. 1981. Simplified method for estimation of DDT and hexachlorocyclohexane residues in milk. *J Assoc Off Anal Chem* 64:14-15.
- *Kar S, Singh PK. 1979a. Mutagenicity of pesticides carbofuran and hexachlorocyclohexane to blue-green alga *Nostoc muscorum*. *Microbios Lett* 12:79-82.
- *Kar S, Singh PK. 1979b. Detoxification of pesticides carbofuran and hexachlorocyclohexane by blue-green algae *Nostoc muscorum* and *Wollea bharadwajae*. *Microbios Lett* 10:111-114.
- Karanth NGK, Srimathi MS, Majumder SK. 1983. Insecticide fingerprinting technique for detection and location of organochlorine insecticide residues in foods. *J Environ Sci Health B* 18(6):745-755.
- Karmaus W, Wolf N. 1995. Reduced birthweight and length in the offspring of females exposed to PCDFs, PCP, and lindane. *Environ Health Perspect* 103(12):1120-1125.
- *Karnick AB, Thakore KN, Nigam SR, et al. 1981. Studies on glucose-6-phosphatase, fructose-1,2-diphosphatase activity, glycogen distribution and endoplasmic reticulum changes during hexachlorocyclohexane induced hepato-carcinogenesis in pure inbred Swiss mice. *Neoplasma* 28:575-584.
- *Kashyap SK. 1986. Health surveillance and biological monitoring of pesticide formulators in India. *Toxicol Lett* 33:107-114.
- Kashyap SK, Gupta SK, Venkatakrishna Bhatt H, et al. 1976. Acute oral toxicity of hexachlorocyclohexane (BHC) in albino rats. *Indian J Med Res* 64:768-772.

8. REFERENCES

- *Kashyap SK, Nigam SK, Gupta RC, et al. 1979. Carcinogenicity of hexachlorocyclohexane (BHC) in pure inbred Swiss mice. *J Environ Sci Health B*14:305-318.
- Kassner JT, Maher TJ, Hull KM, et al. 1991. Cholestyramine as an adsorbent in acute lindane toxicity a murine model. *Pediatr Res* 29(4 PART 2):30A.
- *Keith LH, Garrison AW, Allen FR, et al. 1976. Identification and analysis of organic pollutants in drinking water from 13 U.S. cities. In: Keith LH, ed. *Identification and analysis of organic pollutants in water*. Ann Arbor, MI: Ann Arbor Science Publishers Inc., 329-373.
- *Kennedy, DW, Aust SD, Bumpus JA. 1990. Comparative biodegradation of alkyl halide insecticides by the white rot fungus, *Phanerochaete chrysosporium* (BKM-F-1767). *Appl Environ Microbiol* 56:2347-2353.
- Khan ZA, Misra BM, Raghu K. 1996. Thermodynamics of interaction of lindane on silty loam and silty clay loam Indian soils. *J Environ Sci Health B*31(5):1015-1027.
- *Khanna RN, Anband M, Gopal K, et al. 1988. Effect of repeated exposure to lindane and cadmium on lindane metabolism in rats. *Toxicol Lett* 42:177-182.
- *Khanna RN, Gupta R, Gupta GSD, et al. 1990. Effects of the level of dietary protein on the toxicity of hexachlorocyclohexane in rats. *Toxicol Environ Chem* 25:91-103.
- Khanna RN, Kunwar K, Gupta R, et al. 1991. Placental transport of lindane during early and late stages of gestation in rats. *Bull Environ Contam Toxicol* 47:508-514.
- *Khare S, Rizvi A, Shukla O, et al. 1977. Epidemic outbreak of neuro-ocular manifestations due to chronic BHC poisoning. *J Assoc Physicians India* 25:215-222.
- *Khera KS, Whalen C, Trivett G, et al. 1979. Teratogenicity studies on pesticidal formulations of dimethoate, diuron, and lindane in rats. *Bull Environ Contam Toxicol* 22:522-529.
- *Kiraly J, Szentesi I, Ruzicska M, et al. 1979. Chromosome studies in workers producing organophosphate insecticides. *Arch Environ Contam Toxicol* 8:309-319.
- *Kirk-Othmer. 1985. Concise encyclopedia of chemical technology. New York: John Wiley & Sons, 269-270.
- *Klonne DR, Kintigh WJ. 1988. Lindane technical: Fourteen-week dust aerosol inhalation study on mice. Bushy Run Research Center, Export, PA. Report no. 51-524.
- *Knap AH, Binkley KS. 1991. Chlorinated organic compounds in the troposphere over the Western North Atlantic Ocean measured by aircraft. *Atmos Environ* 25:1507-1516.
- *Knap AH, Binkley KS, Artz RS. 1988. The occurrence and distribution of trace organic compounds in Bermuda precipitation. *Atmos Environ* 22:1411-1423.
- Kolmodin-Hedman B, Alexanderson B, Sjoqvist F. 1971. Effect of exposure to lindane on drug metabolism: Decreased hexobarbital sleeping times and increased antipyrine disappearance rate in rats. *Toxicol Appl Pharmacol* 20:299-307.

8. REFERENCES

Konje JC, Otolorin EO, Sotunmbi PT, et al. Insecticide poisoning in pregnancy—a case-report. *J Reprod Med* 37:992-994.

*Kopec-Szlezak J, Goralczyk K, et al. 1989. Changes in serum and internal organs during increased accumulation of γ -hexachlorocyclohexane in adipose tissue of rabbits. *Mater Med Pol* 21:286-291.

Kopec-Szlezak J, Szczepanska I, Grabarczyk M, et al. 1991. Late toxic effects of long-term exposure to lindane in peripheral blood cells in rabbits: I. Function impairment and structural disturbances in leucocytes. *Mater Med Pol* 22:179-183.

*Kramer MS, Hutchison TA, Rudnick SA, et al. 1980. Operational criteria for adverse drug reactions in evaluating suspected toxicity of a popular scabicide. *Clin Pharmacol Ther* 27:149-155.

*Krauthacker B, Kralj M, Tkalcevic B, et al. 1986. Levels of β -HCH, HCB, p,p'-DDE, p,p'-DDT and PCBs in human milk from a continental town in Croatia, Yugoslavia. *Int Arch Occup Environ Health* 58:69-74.

Kraut-Vass A, Thoma J. 1991. Performance of an extraction disk in synthetic organic chemical analysis using gas chromatography-mass spectrometry. *J Chromatogr* 538:233-240.

KS DHE. 1998a. Minimum contaminant levels. Kansas Department of Health and Environment. Art. 15, Section 28-15-13(c).

KS DHE. 1998b. Surface water quality standards. Kansas Department of Health and Environment. Tit. 401, Ch. 5, Reg. 401 KAR 5:031, Section 2.

Kuhnlein HV, Receveur O, Muir DCG, et al. 1995. Arctic indigenous women consume greater than acceptable levels of organochlorines. *J Nutr* 125(10):2501-2510.

*Kujawa M, Engst R, Macholz R. 1977. On the metabolism of lindane. *Environ Pollut Human Health Proc Internatl Symp* 1975:661-672.

*Kumar D, Khan PK, Sinha SP. 1995. Cytogenetic toxicity and no-effect limit dose of pesticides. *Food Chem Toxicol* 33:309-314.

Kumaraswamy S, Rath AK, Bharati K, et al. 1997. Influence of pesticides on methane oxidation in a flooded tropical rice soil. *Bull Environ Contam Toxicol* 59:222-229.

*Kuntz KW, Warry ND. 1983. Chlorinated organic contaminants in water and suspended sediments of the lower Niagara River. *J Great Lakes Res* 9:241-248.

Kurihara N, Uchida M, Fujita T, et al. 1973. Studies on BHC isomers and related compounds: V. Some physicochemical properties of BHC isomers. *Pestic Biochem Physiol* 2:383-390.

*Kurihara N, Tanaka K, Nakajima M. 1979. Mercapturic acid formation from lindane in rats. *Pestic Biochem Physiol* 10:137-150.

*Kurtz DA, Atlas EL. 1990. Distribution of hexachlorocyclohexanes in the Pacific Ocean Basin, air and water, 1987. *Long Range Transp Pestic* 143-160.

8. REFERENCES

- *Kutz FW, Yobs AR, Yang HS. 1976. National pesticide monitoring programs. In: Lee RE, ed. Air pollution from pesticides and agricultural processes. Cleveland, OH: CRC Press, 95-136.
- *Kutz FW, Strassman SC, Spearling JF. 1979. Survey of selected organochlorine pesticides in the general population of the United States: Fiscal years 1970-1975. Ann NY Acad Sci 320:60-68.
- *Kutz FW, Wood PH, Bottimore DP. 1991. Organochlorine pesticides and polychlorinated biphenyls in human adipose tissue. Rev Environ Contam Toxicol 120:1-82.
- KY EPD. 1998a. Minimum contaminant levels. Kentucky Environmental Protection Department. Tit. 401, Ch. 8, Reg. 401KAR8:400, Section 2.
- *Labana S, Bansal RC, Mahmood A. 1997. Differential effects of lindane on intestinal functions in normal-fed and malnourished rats. Pesticide and Biochemistry and Physiology 57:192-199.
- LA DEQ. 1998. Surface water quality standards. Louisiana Department of Environmental Quality. Tit. 33, Pt. IX, Ch. 11, Section 1113(C)(6)(E).
- Lafrance P, Villeneuve JP, Mazet M, et al. 1991. Organic compounds adsorption onto activated carbon: The effect of association between dissolved humic substances and pesticides. Environ Pollut 72:331-344.
- *Lahiri P, Chakravarty J, Sircar S. 1990. Residue accumulation in mice chronically fed lindane (γ -BHC). Proc Indian Natl Sci Acad Part B Biol Sci 56:277-280.
- Lahiri P, Sircar S. 1991. Suppression of adrenocortical function in female mice by lindane (γ -HCH). Toxicology 66:75-79.
- *Lakkad BC, Nigam SK, Karnik AB, et al. 1982. Dominant-lethal study of technical-grade hexachlorocyclohexane in Swiss mice. Mutat Res 101:315-320.
- Lakshmanan FL, Pommer A, Patterson O. 1979. Chlorinated hydrocarbon insecticide residues in tissues of rats before and after reduction of body fat by dietary restriction. J Agric Food Chem 27:720-725.
- *Lange M, Nitzche K, Zesch A. 1981. Percutaneous absorption of lindane by healthy volunteers and scabies patients: Dependency of penetration kinetics in serum upon frequency of application, time, and mode of washing. Arch Dermatol Res 271:387-399.
- *Lawrence LJ, Casida JE. 1984. Interactions of lindane, toxaphene and cyclodienes with brain-specific t -butylbicyclicphosphorothionate receptor. Life Sci 35:171-178.
- *Laws SC, Carey SA, Hart DW, et al. 1994. Lindane does not alter the estrogen receptor or the estrogen-dependent induction of progesterone receptors in sexually immature or ovariectomized adult rats. Toxicology 92:127-142.
- *LeBel GL, Williams DT. 1986. Determination of halogenated contaminants in human adipose tissue. J Assoc Off Anal Chem 69:451-458.
- *Lee B, Groth P. 1977. Scabies: Transcutaneous poisoning during treatment [letter]. Pediatrics 59:643.

8. REFERENCES

- Lee AG, East JM, Balgavy P. 1991. Interactions of insecticides with biological membranes. *Pestic Sci* 32:317-328.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Ped Clin North America* 44:55-77.
- Leiker TJ, Rostad CE, Barnes CR, et al. 1991. A reconnaissance study of halogenated organic compounds in catfish from the lower Mississippi River and its major tributaries. *Chemosphere* 23:817-830.
- Lembowicz K, Sitarska E, Gorski T, et al. 1991. The effect of organic chlorine compounds and their metabolites present in human milk on newborn mice. *Toxicol Lett* 57:215-226.
- Leoni V, Cremisini C, Giovinazzo R, et al. 1992. Activated sludge biodegradation test as a screening method to evaluate persistence of pesticides in soil. *Sci Total Environ* 123-124:279-289.
- *Lewis RG, Lee RE Jr. 1976. Air pollution from pesticides: Sources, occurrence [sic], and dispersion. In: Lee RE, ed. *Air pollution from pesticides and agricultural processes*. Cleveland, OH: CRC Press, 5-50.
- Li FY, McMillan A, Scholtz T. 1996. Global HCH usage with 1E×1E longitude/latitude resolution. *Environ Sci Technol* 30:3525-3533.
- Li Ronghao, Mather JP. 1997. Lindane, an inhibitor of gap junction formation, abolishes oocyte directed follicle organizing activity in vitro. *Endocrinology* 138(10):4477-4480.
- *Liao W, Joe T, Cusick WG. 1991. Multiresidue screening method for fresh fruits and vegetables with gas chromatographic/mass spectrometric detection. *J Assoc Off Anal Chem* 74:554-565.
- *Liao W, Smith WD, Chiang TC, et al. 1988. Rapid low-cost cleanup procedure for determination of semivolatile organic compounds in human and bovine adipose tissues. *J Assoc Off Anal Chem* 71:742-747.
- Lide DR. 1991. *CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data*. Boston MA: CRC Press, 35-195.
- *Lindenau A, Fischer B, Seiler P, et al. 1994. Effects of persistent chlorinated hydrocarbons on reproductive tissues in female rabbits. *Hum Reprod* 9:772-780.
- Lindroos P, Zarnegar R, Michalopoulos G. 1991. Hepatocyte growth factor increases in plasma during treatment with liver promoters (Meeting Abstract). *Proc Annu Meet Am Assoc Cancer Res* 32:A902.
- Lindroos P, Tsai WH, Zarnegar R, et al. 1992. Plasma levels of HGF in rats treated with tumor promoters. *Carcinogenesis* 13:139-141.
- *Liu PT, Morgan DP. 1986. Comparative toxicity and biotransformation of lindane in C57BL/6 and DBA/2 mice. *Life Sci* 39:1237-1244.
- Llorens J, Sunol C, Tusell JM. 1990a. Microcomputer adaptation of the wheel-shaped activity monitor effects of lindane. *Pharmacol Biochem Behav* 35:1003-1006.

8. REFERENCES

- Llorens J, Sunol C, Tusell JM, et al. 1991. Evidence for acute tolerance to the behavioral effects of lindane: Concomitant changes in regional monoamine status. *Neurotoxicology* 12:697-706.
- *Llorens J, Tusell JM, Sunol C, et al. 1989. Effects of lindane on spontaneous behavior of rats analyzed by multivariate statistics. *Neurotoxicol Teratol* 11:145-151.
- *Llorens J, Tusell JM, Sunol C, et al. 1990b. On the effects of lindane on the plus-maze model of anxiety. *Nerotoxicol Teratol* 12:643-647.
- Llorens J, Tusell JM, Sunol C, et al. 1992. Repeated lindane exposure in the rat results in changes in spontaneous motor-activity at 2 weeks postexposure. *Toxicol Letters* 61:265-274.
- *Loganathan BG, Tanabe S, Hidaka Y, et al. 1993. Temporal trends of persistent organochlorine residues in human adipose tissue from Japan, 1928-1985. *Environ Pollut* 81:31-39.
- *Loge JP. 1965. Aplastic anemia following exposure to benzene hexachloride (lindane). *JAMA* 193:104-108.
- *Long AR, Crouch MD, Barker SA. 1991a. Multiresidue matrix solid phase dispersion (MSPD) extraction and gas chromatographic screening of nine chlorinated pesticides in catfish (*Ictalurus punctatus*) muscle tissue. *J Assoc Off Anal Chem* 74:667-670.
- *Long AR, Soliman MM, Barker SA. 1991b. Matrix solid phase dispersion (MSPD) extraction and gas chromatographic screening of nine chlorinated pesticides in beef fat. *J Assoc Off Anal Chem* 74:493-496.
- Lopez-Aparicio P, Recio MN, Prieto JC, et al. 1991. Effect of lindane upon the β -adrenergic stimulation of cyclic AMP accumulation in rat renal cortical tubules caused by alterations in membrane fluidity. *Life Sci* 49:1141-1154.
- *López-Aparicio P, Recio MN, Prieto JC, et al. 1994. Role of lindane in membranes. Effects on membrane fluidity and activity of membrane-bound proteins. *Biosci Rep* 14:131-138.
- Lopez-Avila V, Benedicto J, Baldin E, et al. 1992. Analysis of classes of compounds of environmental concern: III. Organochlorine pesticides. *J High Resolut Chromatogr* 15:319-328.
- *Lopez-Avila V, Dodhiwala NS, Beckert WF. 1990a. Supercritical fluid extraction and its application to environmental analysis. *J Chromatogr Sci* 28:468-476.
- *Lopez-Avila V, Dodhiwala NS, Milanes J, et al. 1989a. Evaluation of EPA method 8120 for determination of chlorinated hydrocarbons in environmental samples. *J Assoc Off Anal Chem* 72:593-602.
- *Lopez-Avila V, Milanes J, Dodhiwala NS, et al. 1989b. Cleanup of environmental sample extracts using florisil solid-phase extraction cartridges. *J Chromatogr Sci* 27:209-215.
- *Lopez-Avila V, Wesselman R, Edgell K. 1990b. Gas chromatographic-electron capture detection method for determination of 29 organochlorine pesticides in finished drinking water: Collaborative study. *J Assoc Off Anal Chem* 73:276-286.

8. REFERENCES

- Lowy R, Albrecht R, Pelissier MA, et al. 1977. Determination of the 'no-effect levels' of two pesticides, lindane and zineb, on the microsomal enzyme activities of rat liver. *Toxicol Appl Pharmacol* 42:329-338.
- *Luebeck EG, Grasl-Kraupp B, Timmermann-Trosiener I, et al. 1995. Growth kinetics of enzyme-altered liver foci in rats treated with phenobarbital or α -hexachlorocyclohexane. *Toxicol Appl Pharmacol* 130:304-315.
- Mabey WR, Smith JH, Podoll RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Report to U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC, by SRI International. EPA 440/4-81-014.
- *Machholz RM, Kujawa M. 1985. Recent state of lindane metabolism: Part III. *Res Rev* 94:119-149.
- *Machholz RM, Knoll R, Lewerenz H-J, et al. 1982a. Metabolism of alpha-hexachlorocyclohexane: Free metabolites in urine and organs of rats. *Xenobiotica* 12:277-231.
- *Machholz RM, Knoll R, Lewerenz H-J, et al. 1982b. Biodegradation of beta-hexachlorocyclohexane: Free metabolites in rat urine and organs. *Arch Toxicol* 50:85-88.
- *Mack GA, Mohadjer L. 1985. Baseline estimates and time trends for β -benzene hexachloride, hexachlorobenzene, and polychlorinated biphenyls in human adipose tissue—1970-1983. Report to U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances, Washington, DC, by Battelle Columbus Laboratories, Columbus, OH, and Westat, Inc., Rockville, MD. EPA 560/5-85-025.
- Mack RB. 1991. Breath mints for the dragon: Lindane toxicity. *N C Med J* 52:76-78.
- *Mackay D, Leinonen PJ. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environ Sci Technol* 9:1178-1180.
- Mackay D, Shiu W. 1981. A critical review of Henry's law constants for chemicals of environmental interest. *J Phys Chem Ref Data* 10:1175-1199.
- *MA DEP. 1998. Minimum contaminant levels. Massachusetts Department of Environmental Protection. Agency 310, Ch. 22, Section 07A(1).
- *Malaiyandi M, Muzika K, Benoit FM. 1982. Isomerization of γ -hexachlorocyclohexane to its α -isomer by ultra-violet light irradiation. *J Environ Sci Health A* 17:299-311.
- Malek MA, Rahman MM, Amin MR. 1997. Stability of [^{14}C]lindane, [^{14}C]chlorpyrifos, and coumaphos in model cattle dip. *J Agric Food Chem* 45:3279-3282.
- *Marsalek J, Schroeter H. 1988. Annual loadings of toxic contaminants in urban runoff from the Canadian Great Lakes basin. *Water Pollut Res J Can* 23:360-378.
- *Martinez AO, Martinez-Conde E. 1995. The neurotoxic effects of lindane at acute and subchronic dosages. *Ecotoxicol Environ Safety* 30:101-105.
- *Martinez E, De Vera N, Artigas F. 1991. Differential response of rat brain polyamines to convulsant agents. *Life Sci* 48:77-84.

8. REFERENCES

- Mathur AK, Narang S, Gupta BN, et al. 1992. Effect of dermal exposure to LAS detergent and HCH pesticide in guinea pigs: Biochemical and histopathologic changes in liver and kidney. *J Toxicol Cutaneous Ocul Toxicol* 11:3-13.
- Mathur AK, Narang S, Gupta BN, et al. 1993. Interaction of linear alkylbenzenesulfonate and hexachlorocyclohexane in guinea pigs after dermal application. *J Toxicol Cutaneous Ocul Toxicol* 12:25-33.
- Matin MA, Khan MA, Sattar S. 1991. Central neurochemical mechanisms of lindane induced stimulatory effects and changes in body temperature. *J Neurochem* 57(Suppl):S137.
- *Matsumura F, Benezet HJ. 1973. Studies on the bioaccumulation and microbial degradation of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Environ Health Perspect* 5:253-258.
- *Matsuoka LY. 1981. Convulsions following application of γ -benzene hexachloride [letter]. *J Am Acad Dermatol* 5:98-99.
- *Mattioli F, Robbiano L, Adamo D, et al. 1996. Genotoxic effects of α -hexachlorocyclohexane in primary cultures of rodent and human hepatocytes. *Mutagenesis* 11(1):79-83.
- Mattison DR, Wohlleb J, To T, et al. 1992. Pesticide concentrations in Arkansas breast milk. *J Ark Med Soc* 88:553-557.
- Mazzag E, Nagymajtenyi L, Huszta E, et al. 1991. Investigation of selected toxicological parameters of γ -pentachlorocyclohexene (γ -PCCH). *Nahrung* 35:309-316.
- *McCarthy JP, Adinolfi J, McMullin SL, et al. 1992. NCA survey of pesticide residues in brewed coffees. *Colloq Sci Int Cafe [C.R.]* 14:175-181.
- *McNamara BP, Krop S. 1948a. Observations on the pharmacology of the isomers of hexachlorocyclohexane. *J Pharmacol Exp Ther* 92:140-146.
- *McNamara B, Krop S. 1948b. The treatment of acute poisoning produced by γ hexachlorocyclohexane. *J Pharmacol Exp Ther* 92:147-152.
- McNeish AS, Johnson MS, Leah RT. 1997. Methyl lindane and other analogues of hexachlorocyclohexane in dab and plaice from the Mersey Estuary. *Aquatic Toxicology* 40:11-20.
- *McTernan WF, Pereira JA. 1991. Biotransformation of lindane and 2,4-D in batch enrichment cultures. *Water Res* 25:1417-1423.
- *MD DNR. 1998a. Minimum contaminant levels. Maryland Department of Natural Resources. Tit. 26, Subti. 04, Ch. 01, Section .07(c).
- *MD DNR. 1998b. Surface water quality standards. Maryland Department of Natural Resources. Tit. 26, Subtit. 08, Ch. 2, Section 26.08.02.03-2(A).
- *ME DEP. 1998. Minimum contaminant levels. Maine Department of Environmental Protection.

8. REFERENCES

- *Meera P, Rao PR, Shanker R, et al. 1992. Immunomodulatory effects of γ -HCH (lindane) in mice. *Immunopharmacol Immunotoxicol* 14:261-282.
- Meera P, Tripathi O, Kamboj KK, et al. 1993. Role of calcium in biphasic immunomodulation by γ -HCH (lindane) in mice. *Immunopharmacol Immunotoxicol* 15:113-129.
- *Melancon SM, Pollard JE, Hern SC. 1986. Evaluation of SESOIL, PRZM and PESTAN in a laboratory column leaching experiment. *Environ Toxicol Chem* 5:865-878.
- *Mendeloff AI, Smith DE. 1955. Exposure to insecticides, bone marrow failure gastrointestinal bleeding, and uncontrollable infections. *Am J Med* 9:274-284.
- *Mes J, Malcolm S. 1992. Comparison of chlorinated hydrocarbon residues in human populations from the Great Lakes and other regions of Canada. *Chemosphere* 25:417-424.
- *Mes J. 1992. Organochlorine residues in human blood and biopsy fat and their relationship. *Bull Environ Contam Toxicol* 48:815-820.
- *MI DNR. 1998. Minimum contaminant levels. Michigan Department of Natural Resources. Reg. PUW, Pt. 6, Section R325.10604d(1).
- *Milby T, Samuels A. 1971. Human exposure to lindane: Comparison of an exposed and unexposed population. *J Occup Med* 13:256-258.
- Milby T, Samuels A, Ottoboni F. 1968. Human exposure to lindane: Blood lindane levels as a function of exposure. *J Occup Med* 10:584-587.
- Miller CT, Pedit JA. 1992. Use of a reactive surface-diffusion model to describe apparent sorption desorption hysteresis and abiotic degradation of lindane in a subsurface material. *Environ Sci Technol* 26:1417-1427.
- Ministry of Agriculture, Fisheries and Food. 1992. Report of two cooperative trials of a gel permeation chromatographic method for the isolation of pesticide residues from oils and fats. *Analyst* 117:1451-1455.
- Minelli EV, Ribeiro ML. 1996. DDT and HCH residues in the blood serum of malaria control sprayers. *Bull Environ Contam Toxicol* 57:691-696.
- Misra V, Pandey SD, Viswanathan PN. 1996. *In vitro* photoconversion of gamma-hexachlorocyclohexane in the presence of chlorophyll. *Bull Environ Contam Toxicol* 56:809-816.
- Miura K, Ino T, Iizuka M. 1973. Comparison of susceptibility of various strains of mice to acute toxicity of BHC. *Med Biol* 86:391-396.
- *MN PCA. 1998. Minimum contaminant levels. Minnesota Pollution Control Agency.
- *Mobbs RF. 1948. Toxicity of hexachlorocyclohexane in scabies. *JAMA* 138:1253.
- *MO DNR. 1998. Minimum contaminant levels. Missouri Department of Natural Resources. Tit. 10, Div. 60, Ch. 4, RI. 10CSR60-4.040, Section 1.

8. REFERENCES

- Mohammad FK, Zangana IK. 1992. Use of atropine for treatment of lindane poisoning in two chickens. *Vet Rec* 130:378.
- Mohn WW, Tiedje JM. 1992. Microbial reductive dehalogenation. *Microbial Rev* 56:482-507.
- Molony DA, Kone B, Holian A, et al. 1996. Inhibitors of cysteine protease interleukin-1 β -converting enzyme (ICE) abolish the apoptosis of ST-1 cells induced by nephrotoxicant pesticides [Abstract]. *Pathophysiology of Renal Disease: Toxic Neuropathy* 1843.
- *Moreno MJ, Pellicer S, Fernández-Otero MP. 1996. Effects of in situ and systemic lindane treatment on in vivo absorption of galactose and leucine in rat jejunum. *Arch Toxicol* 70:767-772.
- *Moreno MJ, Pellicer S, Martí A, et al. 1994. Effect of lindane on galactose and leucine transport in chicken enterocytes. *Comp Biochem Physiol* 109C:159-166.
- *Morgan DP, Lin LI. 1978. Blood organochlorine pesticide concentrations, clinical hematology and biochemistry in workers occupationally exposed to pesticides. *Arch Environ Contam Toxicol* 7:423-447.
- *Morgan DP, Roberts RJ, Walter AW, et al. 1980. Anemia associated with exposure to lindane. *Arch Environ Health* 35:307-310.
- *Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res* 116:185-216.
- Mostafa FIY, Mostafa IY, Aly MAS, et al. 1996. Bioavailability to rats of ^{14}C -lindane residues in stored potato tubers. *J Environ Sci Health B* 31(6):1241-1251.
- Mott HV, Weber WJ Jr. 1992. Sorption of low molecular weight organic contaminants by fly ash: Considerations for the enhancement of cutoff barrier performance. *Environ Sci Technol* 26:1234-1242.
- *Mougin C, Pericaud C, Dubroca J, et al. 1997. Enhanced mineralization of lindane in soils supplemented with the white rot basidiomycete *Phanerochaete chrysosporium*. *Soil Biol Biochem* 29(9):1321-1324.
- *Mougin C, Pericaud C, Malosse C, et al. 1996. Biotransformation of the insecticide lindane by the white rot basidiomycete *Phanerochaete chrysosporium*. *Pestic Sci* 47:51-59.
- *MT DHES. 1998. Minimum contaminant levels. Montana Department of Health and Environmental Services. Tit. 17, Ch. 38, Subch. 2, RI. 17.38.204(1).
- *Muino MF, Miguelez JD, Lozano JS. 1991. A GC method for chlorinated pesticides and PCB's in mussels. *Chromatographia* 31:453-456.
- Mukherjee I, Gopal M. 1998. Behavior of lindane and endosulfan on cowpea. *Bull Environ Contam Toxicol* 60:225-230.
- *Muller D, Klepel H, Macholz RM, et al. 1981. Electroneurophysiological studies on neurotoxic effects of hexachlorocyclohexane isomers and γ -pentachlorocyclohexene. *Bull Environ Contam Toxicol* 27:704-706.

8. REFERENCES

- *Mullins DE, Young RW, Hetzel GH, et al. 1992. Pesticide disposal using a demulsification, sorption, filtration and chemical and biological degradation strategy. Washington DC: U.S. Environmental Protection Agency, Research and Development. Document No. ISS EPA-600/9-91/047.
- Mullins DE, Young RW, Hetzel GH, et al. 1992. Wastewater cleanup using demulsification, sorption, and filtration followed by chemical and biological degradation. ACS Symp Ser 510 (Pesticide Waste Management) 166-176.
- *Munir KM, Soman CS, Bhide SV. 1983. Hexachlorocyclohexane-induced tumorigenicity in mice under different experimental conditions. Tumori 69:383-386.
- *Munk ZM, Nantel A. 1977. Acute lindane poisoning with development of muscle necrosis. Can Med Assoc J 117:1050-1054.
- Muralidhara MKK, Majumder SK. 1979. Effects of carriers on the oral toxicity of lindane (γ -BHC) to albino rats. J Food Sci Technol 16:105-107.
- *Murli H. 1990. Lindane (technical): In an *in vitro* cytogenetic assay measuring chromosomal aberration frequencies in Chinese Hamster Ovary (CHO) cells with multiple harvests under conditions of metabolic activation. Hazelton Laboratories America, Inc., Kensington, MD. HLA study no. 12024-0-437C.
- *Murphy R, Harvey C. 1985. Residues and metabolites of selected persistent halogenated hydrocarbons in blood specimens from a general population survey. Environ Health Perspect 60:115-120.
- Murthy NBK, Kukarni MG, Raghu K. 1998. Residues of ^{14}C - γ -HCH in paddy after dusting, and the fate of γ -HCH during refining process of rice bran oil. Toxicological and Environmental Chemistry. 65:241-244.
- Mussalo-Rauhamaa H. 1991. Partitioning and levels of neutral organochlorine compounds in human serum, blood cells, and adipose and liver tissue. Sci Total Environ 103:159-75.
- Musty PR, Nickless G. 1976. Extractants for organochlorine insecticides and polychlorinated biphenyls from water. J Chromatogr 120:369-378.
- *Nagaraja TN, Desiraju T. 1994. Brain regional variations in the levels of biogenic amines, glutamate, GABA and glutamate decarboxylase activity in developing and adult rats exposed chronically to hexachlorocyclohexane. Biogenic Amines 10:141-149.
- Nagasaki H, Tomii S, Mega T, et al. 1971. Development of hepatomas in mice treated with benzene hexachloride. Gann 62:431.
- Nagasaki H, Tomii S, Mega T, et al. 1972. Hepatocarcinogenic effect of α , β , γ , and δ isomers of benzene hexachloride in mice. Gann 63:805.
- *Nagasaki H, Kawabata H, Miyata K, et al. 1975. Effect of various factors on induction of liver tumors in animals by the α -isomer of benzene hexachloride. Gann 66:185-191.
- Nagata K, Huang CS, Hamilton BJ, et al. 1996. Differential effects of hexachlorocyclohexane isomers on the GABA receptor subunits expressed in human embryonic kidney cell line. Brain Research 738:131-137.

8. REFERENCES

- *Nagy Z, Mile I, Antoni F. 1975. The mutagenic effect of pesticides on Escherichia coli WP2 try-. *Acta Microbiol Acad Sci Hung* 22:309-314.
- *Nair A, Mandapati R, Dureja P, et al. 1996. DDT and HCH load in mothers and their infants in Delhi, India. *Bull Environ Contam Toxicol* 56:58-64.
- *Nakajima M. 1983. Biochemical toxicology of lindane and its analogs. *J Environ Sci Health* 18:147-172.
- *Nantel A, Ayotte L, Benedetti J-L, et al. 1977. A group of adults acutely poisoned by food contaminated with lindane. *Acta Pharmacol Toxicol* 41 (Suppl 2):250.
- Narahashi T. 1996. Neuronal ion channels as the target sites of insecticides. *Pharmacology and Toxicology* 78:1-14.
- NAS. 1982. Drinking water and health. Volume 3. National Research Council, National Academy Press, National Academy of Sciences, Washington, DC.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1987. National Air Toxics Information Clearinghouse. Data base report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. July 1987.
- NATICH. 1993. National Air Toxics Information Clearinghouse. Data base report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Washington, DC. October 21, 1993.
- *NC DEHNR. 1998. Surface water quality standards. North Carolina Department of Environment, Health, and Natural Resources. Tit. 15A, Ch. 2, Subch. 2B
- *NCI. 1977. Bioassay of lindane for possible carcinogenicity. Bethesda, MD: National Cancer Institute, National Institutes of Health. DHEW publication no. (NIH) 77-814.
- *NE DEQ. 1998a. Minimum contaminant levels. Nebraska Department of Environmental Quality. Tit. 179, Ch. 2, Section 002(002.02)(002.02B)(002.02B3).
- Nerin C, Martinez M, Pons B, et al. 1996. Gas-chromatographic determination of chlorobenzenes and HCH's in an urban atmosphere. *Fresenius J Anal Chem* 354:61-65.
- Neugebaur-Buechler KE, Zieris FJ, Huber W. 1991. Reactions of an experimental outdoor pond to lindane application. *Z Wasser Abwasser Forsch* 24:81-92.
- *Neururer H, Womastek R. 1991. Pesticides in the air. *Bodenkultur* 42:57-70.
- NFPA. 1986. Fire protection guide on hazardous materials. National Fire Protection Association, Boston, MA.

8. REFERENCES

NH DES. 1998a. Minimum contaminant levels. New Hampshire Department of Environmental Services. Ch., Pt., Section 316.05.

*Nigam SK, Lakkad BC, Karnick AB, et al. 1979. Effect of hexachlorocyclohexane feeding on testicular tissue of pure inbred Swiss mice. *Bull Environ Contam Toxicol* 23:431-437.

*Nigam SK, Karnik AB, Majumder SK, et al. 1986. Serum hexachlorocyclohexane residues in workers engaged at a HCH manufacturing plant. *Int Arch Occup Environ Health* 57:315-320.

*NIOSH. 1984. NIOSH manual of analytical methods. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 84-100.

NIOSH. 1990. NIOSH pocket guide to chemicals hazards. Washington, DC: U.S. Department of Health and Human Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Standard Development and Technology Transfer. NIOSH publication no. 90-117.

NIOSH. 1994. NIOSH recommendations for occupational safety and health. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 94-116.

*NJ DEP. 1998. Surface water quality standards. New Jersey Department of Environmental Protection. Tit. 7, Ch. 7:9B, Subch. 1, Section 1.14(A).

*NM ED. 1998. Minimum contaminant levels. New Mexico Environmental Department. Tit. 20, Ch. 7, Pt. 1, Section 203(A).

Noegrohati S, Hammers WE. 1992a. Bimodal distribution of organochlorine insecticide levels in soil due to emulsion spraying. *Toxicol Environ Chem* 34:207-218.

*Noegrohati S, Hammers WE. 1992b. Cleanup by solid-phase extraction and HPLC of organochlorine insecticides and PCBs in various nonfatty and fatty samples. *Toxicol Environ Chem* 34:219-235.

*Noegrohati S, Hammers WE. 1992c. Sorption-desorption kinetics of some organochlorine insecticides in silt-water suspensions. *Toxicol Environ Chem* 34:187-206.

*Nordmeyer H, Pestemer W, Rahman A. 1992. Sorption and transport behavior of some pesticides in groundwater sediments. *Stylogologia* 7:3-11.

*NREPC. 1986. Natural Resources and Environmental Protection Cabinet. Department for Environmental Protection, Division of Pollution. Frankfort, KY. 401 KAR 63:022.

*NTP. 1984. National Toxicology Program Fiscal Year 1984 Annual Plan. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program.

NTP. 1991. National Toxicology Program Sixth Annual Report on Carcinogens 1991 Summary. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program.

8. REFERENCES

- *Nyblom N, Knutsson B. 1947. Investigations on C-mitosis in *Allium cepa*. *Hereditus* 33:220-234.
- *NY DEC. 1998. Minimum contaminant levels. New York Department of Environmental Conservation.
- *Nyholm N, Jacobsen BN, Pedersen BM, et al. 1992. Removal of organic micropollutants at ppb levels in laboratory activated-sludge reactors under various operating-conditions—biodegradation. *Water Res* 26:339-353.
- *Oesch F, Friedberg T, Herbst M, et al. 1982. Effects of lindane treatment on drug metabolizing enzymes and liver weight of CF1 mice in which it evoked hepatomas and in non-susceptible rodents. *Chem Biol Interact* 40:1-14.
- OHM/TADS. 1988. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. (CIS), Baltimore, MD. December 1985.
- *OK WRB. 1998. Minimum contaminant levels. Oklahoma Water Resources Board. Tit. 252, Ch. 630, Section1-3(b)(1).
- *Oldiges H, Hertel R, Kördel W, et al. 1983. 90-day inhalation study with lindane. Fraunhofer-Institut, Institute for Toxicology and Aerosol Research, Schmallenberg, Germany. Celamerck document no. 111AC-435-005.
- *Oldiges H, Takenaka S, Hochrainer D. 1980. Inhalation study with lindane (γ -hexachloro-cyclohexane) to determine the LC50. Fraunhofer-Institut, Institute for Toxicology and Aerosol Research, Schmallenberg, Germany. Celamerck document no. 111AA-423-002.
- *Oliver BG, Charlton MN. 1984. Chlorinated organic contaminants on settling particulates in the Niagara River vicinity of Lake Ontario. *Environ Sci Technol* 18:903-908.
- *OR DEQ. 1998. Minimum contaminant levels. Oregon Department of Environmental Quality.
- *Orr JW. 1948. Absence of carcinogenic activity of benzene hexachloride (gammexane) [letter]. *Nature* 162:189.
- *Ortega P, Hayes WJ Jr, Durham WF. 1957. Pathologic changes in the liver of rats after feeding low levels of various insecticides. *AMA Arch Pathol* 64:614-622.
- Ortiz-Martinez A, Martinez-Conde E. 1995. The neurotoxic effects of lindane at acute and subchronic dosages. *Ecotoxicol Environ Safety* 30:101-105.
- OSHA. 1984. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal regulations. 29 CFR 1910. Federal Register 39:23541-23543.
- *OSHA. 1987. Access to employee exposure and medical records. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.20.
- *OSHA. 1988. Access to employee exposure and medical records. Occupational Safety and Health Administration. Federal Register 53(189): 30163-30164.

8. REFERENCES

- *OSHA. 1989. Toxic and hazardous substances. Occupational Safety and Health Administration. Federal Register 54(12):2920-2960.
- OSHA. 1992. Toxic and hazardous substances. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA 1996. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- Oshiba K. 1972. [Experimental studies on the fate of β - and γ -BHC in vivo following daily administration.] J Osaka City Med Cent 21:1-19. (Japanese)
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress OTA-BA-436. April 1990.
- *Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. Environ Sci Technol 15:1475-1481.
- Pajuelo L, Sánchez-Alonso JA, del Hoyo N, et al. 1997. Non-muscarinic- and non-adrenergic-mediated effects of lindane on phosphoinositide hydrolysis in rat brain cortex slices. Neurochem Res 22(1):57-62.
- *Palmer AK, Bottomley AM, Worden AN, et al. 1978a. Effect of lindane on pregnancy in the rabbit and rat. Toxicology 9:239-247.
- *Palmer AK, Cozens DD, Spicer EJF, et al. 1978b. Effects of lindane upon reproductive function in a 3-generation study in rats. Toxicology 10:45-54.
- *Pankow JF, Isabelle LM, Asher WE. 1984. Trace organic compounds in rain: 1. Sampler design and analysis by adsorption/thermal desorption (ATD). Environ Sci Technol 18:310-318.
- Parzefall W, Erber E, Sedivy R, et al. 1991. Testing for induction of DNA synthesis in human hepatocyte primary cultures by rat liver tumor promoters. Cancer Res 51:1143-1147.
- Perez-Albarsanz MA, Lopezaparicio P, Senar S, et al. 1991. Effects of lindane on fluidity and lipid-composition in rat renal-cortex membranes. Biochimica Biophysica Acta 1066:124-130.
- Perocco P, Colacci A, Del Ciello C, et al. 1995. Cytotoxic and cell transforming effects of the insecticide, lindane (γ -hexachlorocyclohexane) on BALB/c 3T3 cells. Res Commun Molecular Pathol Pharmacol 89(3):329-339.
- *Philip GH, Sriraman PK, Ramamurthi R. 1989. Histopathological changes in liver and kidney of *Mus booduga* following oral benzenehexachloride (BHC) feeding. Bull Environ Contam Toxicol 42:499-502.
- Philip GH, Reddy PM, Ramamurthi R. 1991a. Alterations in the histopathology and G-6-PDH activity in tissues of *Mus booduga* after oral benzenehexachloride feeding. Environ Ecol 9:887-890.
- Philip GH, Reddy PM, Ramamurthi R. 1991b. Changes in the carbohydrate metabolism in the selected tissues of *Mus booduga* gray after BHC treatment. Biochem Int 24:1165-1171.

8. REFERENCES

- Phillips LJ. 1992. A comparison of human toxics exposure and environmental contamination by census division. *Arch Environ Contam Toxicol* 22:1-5.
- Phillips LJ. 1992. Regional relationships between toxic releases, and environmental and human exposure to toxic substances. *Bull Environ Contam Toxicol* 48:795-802.
- *Phillips LJ, Birchard GF. 1991. Use of STORET data to evaluate variations in environmental contamination by census division. *Chemosphere* 22:835-848.
- *Pines A, Cucos S, Ever-Hadani P, et al. 1987. Some organochlorine insecticide and polychlorinated biphenyl blood residues in infertile males in the general Israeli population of the middle 1980's. *Arch Environ Contam Toxicol* 16:587-597.
- *Pius J, Shivanandappa T, Krishnakumari MK. 1990. Protective role of vitamin A in the male reproductive toxicity of hexachlorocyclohexane (HCH) in the rat. *Reprod Toxicol* 4:325-330.
- Podstawka U, Grabarczyk M, Kopec-Szlezak J. 1991. Vitamin E protects human leucocytes against toxic effects of lindane in vitro. *Mater Med Pol (Poland)* 23:285-289.
- Poissant L, Koprivnjak JF. 1996. Fate and atmospheric concentrations of α - and γ -hexachlorocyclohexane in Québec, Canada. *Environ Sci Technol* 30:845-851.
- Polishuk ZW, Ron M, Wassermann M, et al. 1977a. Pesticides in people: Organochlorine compounds in human blood plasma and milk. *Pest Monit J* 10:121-129.
- Polishuk ZW, Wassermann D, Wasserman M, et al. 1977b. Organochlorine compounds in mother and fetus during labor. *Environ Res* 13:278-284.
- *Pomès A, Frandsen A, Suñol C, et al. 1994. Lindane cytotoxicity in cultured neocortical neurons is ameliorated by GABA and flunitrazepam. *J Neurosci Res* 39:663-668.
- *Portig J, Schnorr C. 1988. The potency of γ -1,2,3,4,5-hexachlorocyclohexane (lindane). *Toxicology* 52:309-321.
- *Portig J, Stein K, Vohland HW. 1989. Preferential distribution of α -hexachlorocyclohexane into cerebral white matter. *Xenobiotica* 19:123-130.
- *Powell GM. 1980. Toxicity of lindane [letter]. *Central Afr J Med* 26:170.
- Pramanik AK, Hansen RC. 1979. Transcutaneous γ benzene hexachloride absorption and toxicity in infants and children. *Arch Dermatol* 115:1224-1225.
- *Prapamontol T, Stevenson D. 1991. Rapid method for the determination of organochlorine pesticides in milk. *J Chromatogr* 552:249-257.
- *Prasad AK, Pant N, Srivastava SC, et al. 1995. Effect of dermal application of hexachlorocyclohexane (HCH) on male reproductive system of rat. *Hum Exp Toxicol* 14:484-488.

8. REFERENCES

- Prest HF, Jarman WM, Burns SA, et al. 1992. Passive water sampling via semipermeable membrane devices (SPMDS) in concert with bivalves in the Sacramento San Joaquin River Delta. *Chemosphere* 25(12):1811-1823.
- Pulido JA, Del Hoyo N, Perez-Albarsanz MA. 1992. The effects of different hexachlorocyclohexanes and cyclodienes on glucose uptake and inositol phospholipid synthesis in rat brain cortex. *Life Sci* 50:1585-1596.
- *Puri S, Kohli KK. 1995. Differences in hepatic drug metabolizing enzymes and their response to lindane in rat, rabbit and monkey. *Pharmacol Toxicol* 77:136-141.
- Radomski JL, Fiserova-Bergerova V. 1967. Determination of chlorinated hydrocarbon pesticides in human and animal tissues. *Ind Med Surg* (April):281-285.
- *Radomski JL, Astolfi E, Deichmann WB, et al. 1971a. Blood levels of organochlorine pesticides in Argentina: Occupationally and nonoccupationally exposed adults, children and newborn infants. *Toxicol Appl Pharmacol* 20:186-193.
- *Radomski JL, Deichmann WB, Rey AA, et al. 1971b. Human pesticide blood levels as a measure of body burden and pesticide exposure. *Toxicol Appl Pharmacol* 20:175-185.
- *Raizada RB, Misra P, Saxena I, et al. 1980. Weak estrogenic activity of lindane in rats. *J Toxicol Environ Health* 6:483-492.
- *Raju J, Gupta VK. 1988. A new spectrophotometric method for the determination of traces of benzene hexachloride (lindane) in polluted water and cereals. *Asian Environ* 10:45-52.
- *Ramachandran M, Banerjee BD, Gulati M, et al. 1984. DDT and HCH residues in the body fat and blood samples from some Delhi hospitals. *Indian J Med Res* 80:590-593.
- *Ramamoorthy S. 1985. Competition of fate processes in the bioconcentration of lindane. *Bull Environ Contam Toxicol* 34:349-358.
- *Ramchander V, Cameron ES, Reid HF. 1991. Lindane toxicity in an infant. *West Indian Med J* 40:41-43.
- *Rao PSC, Davidson JM. 1982. Retention and transformation of selected pesticides and phosphorous in soil-water systems: A critical review. Report to Environmental Research Laboratory, Athens, GA, by Florida University, Gainesville. EPA 600/3-82-060.
- *Rasmussen JE. 1980. Lindane toxicity [letter]. *Arch Dermatol* 116:1226.
- *Rasmussen JE. 1981. The problem of lindane. *J Am Acad Dermatol* 5:507-516.
- *Rasmussen JE. 1987. Lindane: A prudent approach. *Arch Dermatol* 123:1008-1010.
- *Rauch AE, Kowalsky SF, Lesar TS, et al. 1990. Lindane (Kwell)-induced aplastic anemia. *Arch Intern Med* 150:2393-2395.

8. REFERENCES

- *Ravinder P, Srinivasan K, Radhakrishnamurty R. 1989. Biochemical toxicity of hexachlorocyclohexane and its γ -isomer in albino mice. Indian J Exp Biol 27:248-251.
- *Ravinder P, Srinivasan K, Radhakrishnamurty R. 1990. Dietary hexachlorocyclohexane induced changes in blood and liver lipids in albino mice. Indian J Exp Biol 28:155-157.
- Raymer JH, Pellizzari ED. 1991. Sorbent-based method for the analysis of ambient air using supercritical fluid desorption/gas chromatography. Int J Environ Anal Chem 43:151-164.
- *Reding R. 1987. Chromatographic monitoring methods for organic contaminants under the Safe Drinking Water Act. J Chromatogr Sci 25:338-344.
- Redondo MJ, Pico Y, Server-Carrio J, et al. 1991. Organochlorine residue analysis of commercial milks by capillary gas chromatography. J High Resolut Chromatogr 14:597-600.
- *Reinhart DR, Pohland FG. 1991. The assimilation of organic hazardous wastes by municipal solid waste landfills. J Ind Microbiol 8:193-200.
- *Reinhart DR, Pohland FG, Gould JP, et al. 1991. The fate of selected organic pollutants codisposed with municipal refuse. Res J Water Pollut Control Fed 63:780-788.
- Reuber M. 1979. Carcinogenicity of lindane. Environ Res 19:460-481.
- *RI DEM. 1998. Minimum contaminant levels. Rhode Island Department of Environmental Management. Reg. PDW, Section 16.0(16.2)(a).
- Ripping G. 1972. Screening of the absorption behavior of new chemicals: Natural spoils and model absorptions. Ecotox Environ Safety 6:236-245.
- *Rivera S, Sanfeliu C, Sunol C, et al. 1991. Regional effects on the cerebral concentration of noradrenaline, serotonin and dopamine in suckling rats after a single dose of lindane. Toxicology 69:43-54.
- Rivera S, Sanfeliu C, Garcia M, et al. 1992a. Increase in rat pup ultrasonic isolation calls induced by lindane. Neurotoxicology 13:235-240.
- Rivera S, Sanfeliu C, Rodriguezfarre E. 1992b. Changes in regional brain $2[^{14}\text{C}]$ deoxyglucose uptake induced in postnatal developing rats by single and repeated nonconvulsant doses of lindane. Pestic Biochem Physiol 43:241-252.
- *Rivett KF, Chesterman H, Kellett DN, et al. 1978. Effects of feeding lindane to dogs for periods of up to 2 years. Toxicology 9:273-289.
- Robens J. 1978. Tests for possible carcinogenicity of 20 pesticides in Osborne-Mendel rats and B6C3F1 mice. Toxicol Appl Pharmacol 45:236.
- Rocchi P, Perocco P, Alberghini W, et al. 1980. Effect of pesticides on scheduled and unscheduled DNA synthesis of rat thymocytes and human lymphocytes. Arch Toxicol 45:101-108.

8. REFERENCES

- Rodger GK, Davies IM, Topping G. 1992. Retention of trace metal contaminants in the sediment at an accumulating sewage sludge disposal site. *Water Res* 26:111-120.
- Rodriguez OM, Desideri PG, Lepri L, et al. 1991. Simultaneous separation and determination of hydrocarbons and organochlorine compounds by using a two-step microcolumn. *J Chromatogr* 555:221-228.
- *Roe FJC, Grant GA. 1970. Inhibition by germ-free status of development of liver and lung tumours in mice exposed neonatally to 7,12-dimethylbenz(a)-anthracene:Implications in relation to tests for carcinogenicity. *Int J Cancer* 6:133.
- Roncevic N, Pavkov S, Galetin-Smith R, et al. 1987. Serum concentrations of organochlorine compounds during pregnancy and the newborn. *Bull Environ Contam Toxicol* 38:117-124.
- Rosa R, Rodriguez-Farré E, Sanfeliu C. 1996. Cytotoxicity of hexachlorocyclohexane isomers and cyclodienes in primary cultures of cerebellar granule cells¹. *J Pharmacol Exp Ther* 278(1):163-169.
- *Rosa R, Sanfeliu C, Suñol C, et al. 1997. The mechanism for hexachlorocyclohexane-induced cytotoxicity and changes in intracellular Ca²⁺ homeostasis in cultured cerebellar granule neurons is different for the γ - and δ -isomers. *Toxicol Appl Pharmacol* 142:31-39.
- *Roy Chowdhury A, Gautam AK. 1990. BHC induced testicular impairments in rats. *Indian J Physiol Pharmacol* 34:215-217.
- *Roy Chowdhury A, Venkatakrishna-Bhatt H, Gautam AK. 1987. Testicular changes of rats under lindane treatment. *Bull Environ Contam Toxicol* 38:154-156.
- RTECS. 1993. Registry of Toxic Effects of Chemical Substances. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Washington, DC. March 1992.
- Rugman FP, Cosstick R. 1990. Aplastic anaemia associated with organochlorine pesticide: Case reports and review of evidence. *J Clin Pathol* 43:98-101.
- *Rupa DS, Reddy PP, Reddie OS. 1989a. Analysis of sister-chromatid exchanges, cell kinetics and mitotic index in lymphocytes of smoking pesticide sprayers. *Mutat Res* 223:253-258.
- *Rupa DS, Reddy PP, Reddi OS. 1989b. Chromosomal aberrations in peripheral lymphocytes of cotton field workers exposed to pesticides. *Environ Res* 49:1-6.
- *Rupa DS, Reddy PP, Reddi OS. 1989c. Frequencies of chromosomal aberrations in smokers exposed to pesticides in cotton fields. *Mutat Res* 222:37-41.
- *Rupa DS, Reddy PP, Reddi OS. 1989d. Genotoxic effect of BHC in cultured human lymphocytes. *Hum Genet* 83:271-273.
- *Rupa DS, Rita P, Reddy PP, et al. 1988. Screening of chromosomal aberrations and sister chromatid exchanges in peripheral lymphocytes of vegetable garden workers. *Hum Toxicol* 7:333-336.

8. REFERENCES

- Rupa DS, Reddy PP, Reddi OS. 1991. Reproductive performance in population exposed to pesticides in cotton fields in India. Environ Res 55:123-128.
- *Saady JJ, Poklis A. 1990. Determination of chlorinated hydrocarbon pesticides by solid-phase extraction and capillary GC with electron capture detection. J Anal Toxicol 14:301-304.
- Sabra MC, Jorgenson K, Mouritsen OG. 1996. Lindane suppresses the lipid-bilayer permeability in the main transition region. Biochimica et Biophysica Acta 1282:85-92.
- *Sahu SK, Patnaik KK, Bhuyan S, et al. 1993. Degradation of soil-applied isomers of hexachlorocyclohexane by a *Pseudomonas* sp. Soil Biol Biochem 25:387-391.
- Saint-Fort R. 1991. Ground water contamination by anthropogenic organic compounds from waste disposal sites: Transformations and behavior. J Environ Sci Health A26:13-62.
- *Saleh FY, Lee GF, Butler JS. 1978. Kepone and other selected chlorinated hydrocarbon pesticides and PCBs behavior during hydraulic dredging of the James River near Hopewell, Virginia. J Environ Sci Health A13:261-294.
- *Saleh FY, Dickson KL, Rodgers JH. 1982. Fate of lindane in the aquatic environment: Rate constants of physical and chemical processes. Environ Toxicol Chem 1:289-297.
- Samanta L, Chainy GBN. 1997. Age-related differences of hexachlorocyclohexane effect on hepatic oxidative stress parameters of chicks. Indian J Exp Biol 35:457-461.
- *Samanta L, Chainy GBN. 1997. Comparison of hexaclarocyclohexane-induced oxidative stress in the testis of immature and adult rats. Comp Biochem Physiol 118C(3):319-327.
- *Samuel T, Pillai MKK. 1990. Effect of temperature and sunlight exposure on the fate of soil-applied [¹⁴C]- γ -hexachlorocyclohexane. Arch Environ Contam Toxicol 19:214-20.
- *Samuels AJ, Milby TH. 1971. Human exposure to lindane: Clinical, hematological and biochemical effects. J Occup Med 13:147-151.
- *Sandhu SS, Warren WJ, Nelson P. 1978. Pesticidal residue in rural potable water. J Am Water Works Assoc 70:41-45.
- Sasaki K, Kawasaki Y, Sekita K, et al. 1992. Disposition of β -hexachlorocyclohexane, p,p'-DDT, and *trans*-chlordane administered subcutaneously to monkeys (*Macaca fascicularis*). Arch Environ Contam Toxicol 22:25-29.
- Sasaki K, Ishizaka T, Suzuki T, et al. 1991. Accumulation levels of organochlorine pesticides in human adipose tissue and blood. Bull Environ Contam Toxicol 46(5):662-669.
- *Sasaki K, Ishizaka T, Suzuki T, et al. 1991. Organochlorine chemicals in skin lipids as an index of their accumulation in the human body. Arch Environ Contam Toxicol 21:190-194.

8. REFERENCES

Sasaki YF, Izuyama F, Nishidate E, et al. 1997. Detection of rodent liver carcinogen genotoxicity by the alkaline single-cell gel electrophoresis (Comet) assay in multiple mouse organs (liver, lung, spleen, kidney, and bone marrow)¹. *Mut Res* 391:201-214.

*Saxena DK, Murthy RC, Chandra SV. 1986. Embryotoxic and teratogenic effects of interaction of cadmium and lindane in rats. *Acta Pharmacol Toxicol* 59:175-178.

*Saxena MC, Siddiqui MKJ, Agarwal V, et al. 1983. A comparison of organochlorine insecticide contents in specimens of maternal blood, placenta and umbilical-cord blood from stillborn and live-born cases. *J Toxicol Environ Health* 11:71-79.

*Saxena MC, Siddiqui MKJ, Bhargava AK, et al. 1981b. Placental transfer of pesticides in humans. *Arch Toxicol* 48:127-134.

*Saxena MC, Siddiqui MKJ, Bhargava AK, et al. 1980. Role of chlorinated hydrocarbon pesticides in abortions and premature labour. *Toxicology* 17:323-331.

*Saxena MC, Siddiqui MKJ, Seth TD, et al. 1981a. Organochlorine pesticides in specimens from women undergoing spontaneous abortion, premature or full-term delivery. *J Anal Toxicol* 5:6-9.

*SC DHEC. 1998. Minimum contaminant levels. South Carolina Department of Health and Environmental Control. Ch. 61, Reg. 58.5, Section D(2).

*Schacht RA, Patrick JM, Forester J. 1974. Pesticide in the Illinois waters of Lake Michigan. Report to U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC, by Illinois State Environmental Protection Agency, Springfield, IL. EPA 660/3-74-002.

Schade G, Heinzow B. 1998. Organochlorine pesticides and polychlorinated biphenyls in human milk of mothers living in northern Germany: Current extent of contamination, time trend from 1986 to 1997 and factors that influence the levels of contamination. *Sci Total Environ* 216:31-39.

*Scharf J, Wiesollek R, Baechmann K. 1992. Pesticides in the atmosphere. *Fresenius J Anal Chem* 342:813-816.

*Schattenberg HJ II, Hsu JP. 1992. Pesticide residue survey of produce from 1989 to 1991. *JAOAC Int* 75:925-933.

Schechter A, Fuerst P, Fuerst C, et al. 1991. Dioxins, dibenzofurans and selected chlorinated organic compounds in human milk and blood from Cambodia, Germany, Thailand, the U.S.A., the U.S.S.R., and Vietnam. *Chemosphere* 23:1903-1912.

*Schimmel SC, Patrick JM Jr, Forester J. 1977. Toxicity and bioconcentration of BHC and lindane in selected estuarine animals. *Arch Environ Contam Toxicol* 6:355-363.

*Schmitt CJ, Zajicek JL, Ribick MA. 1985. National pesticide monitoring program: Residues of organochlorine chemicals in freshwater fish, 1980-1981. *Arch Environ Contam Toxicol* 14:225-260.

8. REFERENCES

- *Schmidt LJ, Hesselberg RJ. 1992. A mass spectroscopic method for analysis of AHH-inducing and other polychlorinated biphenyl congeners and selected pesticides in fish. *Arch Environ Contam Toxicol* 23:37-44.
- Schouche S, HS Rathore. 1997. Hematological effects of hexachlorocyclohexane (HCH) in mice- results and possibilities. *Indian J Med Sci* 51(4):120-122.
- *Schoula R, Hajšlová J, Bencko V, et al. 1996. Occurrence of persistent organochlorine contaminants in human milk collected in several regions of Czech Republic. *Chemosphere* 33(8):1485-1494.
- *Schröter C, Parzefall W, Schröter H, et al. 1987. Dose-response studies on the effects of α -, β -, and γ -hexachlorocyclohexane on putative preneoplastic foci, monooxygenases, and growth in rat liver. *Cancer Res* 47:80-88.
- Schulte-Hermann R, Parzefall W. 1981. Failure to discriminate initiation from promotion of liver tumors in a long-term study with the phenobarbital-type inducer α -hexachlorocyclohexane and the role of sustained stimulation of hepatic growth and monooxygenases. *Cancer Res* 41:4140-4146.
- *Schuphan I, Ebing W, Holthoefer J, et al. 1990. Bleidner vapor phase extraction technique for the determination of organochlorine compounds in lake sediments. *Fresenius J Anal Chem* 336:564-566.
- *SD DENR. 1998. Minimum contaminant levels. South Dakota Department of Environment and Natural Resources. Tit., Art., Ch., Section 74:04:05:06.
- *Seiler P, Fischer B, Lindenau A, et al. 1994. Effects of persistent chlorinated hydrocarbons on fertility and embryonic development in the rabbit. *Hum Reprod* 9:1920-1926.
- Senar S, Gutierrez-Ocana MT, Perez-Albarsanz MA, et al. 1991. Influence of lindane on the fluidity of the rat ventral prostate membranes. *Biosci Rep* 11:101-110.
- Senar S, Puente JC, López-Aparicio P, et al. 1994. Increased intracellular glycerophosphoinositol and arachidonic acid are biochemical markers for lindane toxicity. *Cell Signal* 6:915-921.
- Senoo K, Izumi K, Nishiyama M, et al. 1997. Distribution of a bacterium (γ -1,2,3,4,5,6-hexachlorocyclohexane-decomposing *Sphingomonas paucimobilis*) among soil aggregates. *Soil Sci Plant Nutr* 43(2):463-468.
- Senoo K, Nishiyama M, Matsumoto S. 1996. Bioremediation of γ -HCH -polluted field soil by inoculation with an aeroci γ -HCH-decomposing bacterium (*Sphingomonas paucimobilis SS86*). *Soil Sci Plant Nutr* 42(1):11-19.
- *Sericano JL, Atlas EL, Wade TL, et al. 1990. NOAA's status and trends mussel watch program: Chlorinated pesticides and PCBs in oysters (*Crassostrea virginica*) and sediments from the Gulf of Mexico, 1986-1987. *Mar Environ Res* 29:161-203.
- Serrano MT, Vendrell M, Rivera S, et al. 1990a. Effect of lindane on the myelination process in the rat. *Neurotoxicol Teratol* 12:577-583.

8. REFERENCES

- *Serrano MT, Vendrell M, Rivera S, et al. 1990b. Myelination in rats exposed to lindane. Ann N Y Acad Sci 605:456-458.
- *Shahin MM, von Borstel RC. 1977. Mutagenic and lethal effects of α -benzene hexachloride, dibutyl phthalate and trichloroethylene in *Saccharomyces cerevisiae*. Mutat Res 48:173-180.
- *Sharom MS, Miles JRW, Harris CR, et al. 1980. Persistence of 12 insecticides in water. Water Res 14:1089-1093.
- *Shimazu H, Shiraishi N, Akematsu T, et al. 1972. Carcinogenicity screening tests on induction of chromosomal aberrations in rat bone marrow cells in vivo. MURE 38:347.
- *Shirasu Y, Moriya M, Kato K, et al. 1976. Mutagenicity screening of pesticides in the microbial system. Mutat Res 40:19-30.
- *Shivanandappa T, Krishnakumari MK. 1983. Hexachlorocyclohexane-induced testicular dysfunction in rats. Acta Pharmacol Toxicol 52:12-17.
- *Siddiqui M, Saxena M, Krishna Murti C. 1981a. Storage of DDT and BHC in adipose tissue of Indian males. Intern J Environ Anal Chem 10:197-204.
- Siddiqui MKJ, Saxena MC, Bhargava AK, et al. 1981b. Agrochemicals in maternal blood, milk, and cord blood: A source of toxicants for prenates and neonates. Environ Res 24:24-32.
- Siglin JC, Weghorst CM, Klaunig JE. 1991. Role of hepatocyte proliferation in α -hexachlorocyclohexane and phenobarbital tumor promotion in B6C3F1 mice. Prog Clin Biol Res 369:407-416.
- Silvestroni L, Fiorini R, Palleschi S. 1997. Partition of the organochlorine insecticide lindane into the human sperm surface induces membrane depolarization and Ca^{2+} influx. Biochem J 321:691-698.
- Simic B, Kniewald Z, Davies JE, et al. 1991. Reversibility of the inhibitory effect of atrazine and lindane on cytosol 5- α -dihydrotestosterone receptor complex-formation in rat prostate. Bull Environ Contam Toxicol 46:92-99.
- *Singh G, Kathpal TS, Spencer WF, et al. 1991. Dissipation of some organochlorine insecticides in cropped and uncropped soil. Environ Pollut 70:219-240.
- *Sipes IG, Gandolfi AJ. 1991. Ch 4, Biotransformation of Toxicants In Toxicology: The Basic Science of Poisons 4th edition. Editors Mary O. Amdur, John Doull, Curtis D. Klaassen. New York, NY: Pergamon Press.
- *Sircar S, Lahiri P. 1989. Lindane (γ -HCH) causes reproductive failure and fetotoxicity in mice. Toxicology 59:171-177.
- Sitarska E, Klucinski W, Winnicka A, et al. 1991. Residues of organochlorine pesticides in milk gland secretion of cows in perinatal period. Bull Environ Contam Toxicol 47:817-821.
- Sliwinski Z, Hermanowicz A, Kossmann S, et al. 1991. Neutrophil function in chemical plant workers employed in the production of dust pesticides. Pol J Occup Med 4:241-247.

8. REFERENCES

- *Sloterdijk HH. 1991. Mercury and organochlorinated hydrocarbons in surficial sediments of the St. Lawrence River (Lake St. Francis). *Wat Pollut Res J Can* 26:41-60.
- *Solomon L, Faherer L, West D. 1977a. γ -benzene hexachloride toxicity. *Arch Dermatol* 113:353-357.
- *Solomon BA, Haut SR, Carr EM, et al. 1995. Neurotoxic reaction to lindane in an HIV-seropositive patient: An old medication's new problem. *J Fam Pract* 40:291-295.
- *Solomon L, West D, Fitzloff J, et al. 1977b. γ -Benzene hexachloride in guinea-pig brain after topical application. *J Invest Dermatol* 68:310-312.
- Spence SA, Dettmann EB, Wilson JM. 1992. The rate of decline of α - and β -benzene hexachloride residues in contaminated pigs. *Aust Vet J* 69:17-18.
- Spencer WF, Farmer WJ, Cliath MM. 1973. Pesticide volatilization. *Residue Rev* 49:1-47.
- *SRI International. 1987. Directory of chemical producers. SRI International, Menlo Park, CA.
- *SRI International. 1988. Directory of chemical producers. SRI International, Menlo Park, CA.
- Srinivasan K, Radhakrishnamurty R. 1983a. Induction of liver mixed function oxygenase system by β - and γ -hexachlorocyclohexane. *Indian J Biochem Biophys* 20:84-91.
- *Srinivasan K, Radhakrishnamurty R. 1983b. Studies on the distribution of β - and γ -isomers of hexachlorocyclohexane in rat tissues. *J Environ Sci Health B* 18:401-418.
- *Srinivasan K, Radhakrishnamurty R. 1988. Biochemical changes produced by β - and γ -hexachlorocyclohexane isomers in albino rats. *J Envriion Sci Health* 23:367-386.
- *Srinivasan K, Mahadevappa KL, Radhakrishnamurty R. 1991a. Effect of maternal dietary hexachlorocyclohexane exposure on pup survival and growth in albino rats. *J Environ Sci Health B* 26:339-349.
- Srinivasan K, Mahadevappa KL, Radhakrishnamurty R. 1991b. Toxicity of β - and γ -hexachlorocyclohexane in rats of different ages. *Bull Environ Contam Toxicol* 47:623-627.
- *Srinivasan K, Ramesh HP, Radhakrishnamurty R. 1984. Renal tubular dysfunction caused by dietary hexachlorocyclohexane (HCH) isomers. *J Environ Sci Health* 19:453-466.
- *Srivastava SC, Kumar R, Prasad AK, et al. 1995. Effect of hexachlorocyclohexane (HCH) on testicular plasma membrane of rat. *Toxicol Lett* 75:153-157.
- Srivastava A, Shrivastava SC. 1996. Effect of r-BHC-50 ppm, on chicken egg-shell. *Proc Nat Acad Sci India*, 66(B), IV.
- Srivastava AK, Gupta BN, Bihari V, et al. 1995. Chronic effects of hexachlorocyclohexane exposure: Clinical, hematologic and electrocardiographic studies. *Vet Human Toxicol* 37(4):302-305.

8. REFERENCES

- *Stachel B, Dougherty RC, Lahl U, et al. 1989. Toxic environmental chemicals in human semen: Analytical method and case studies. *Andrologia* 21:282-291.
- *Stanley CW, Barney JE II, Helton MR, et al. 1971. Measurement of atmospheric levels of pesticides. *Environ Sci Technol* 5:430-435.
- *Stanley JS. 1986. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Volume 1 - executive summary. Report to U.S. Environmental Protection Agency, Washington, DC, by Midwest Research Institute, Kansas City, MO. EPA 560/5-86-035.
- *Staples CA, Werner A, Hoogheem T. 1985. Assessment of priority pollutant concentrations in the United States using storet database. *Environ Toxicol Chem* 4:131-142.
- Stark L, Joy R, Albertson T. 1983. The persistence of kindled amygdaloid seizures in rats exposed to lindane. *Neurotoxicology* 4:221-225.
- Stark LG, Joy RM, Hollinger MA. 1987. Effects of two isomers of hexachlorocyclohexane (HCH) on cortical β -adrenoceptors in rat brain. *Exp Neurol* 98:276-284.
- *Starr HJ, Clifford NJ. 1972. Acute lindane intoxication. A case study. *Arch Environ Health* 25:374-375.
- *Starr HG, Aldrich FD, McDougall WD III, et al. 1974. Contribution of household dust to the human exposure to pesticides. *Pest Monit J* 8:209-212.
- *Stein K, Portig J, Fuhrmann H, et al. 1980. Steric factors in the pharmacokinetics of lindane and α -hexachlorocyclohexane in rats. *Xenobiotica* 10:65-77.
- *Stein VB, Amin TA, Narang RS. 1987. Simplified method for determining polychlorinated biphenyls, phthalates, and hexachlorocyclohexanes in air. *J Assoc Off Anal Chem* 70:721-723.
- Steinmetz R, Young PCM, Caparell-Grant A, et al. 1996. Novel estrogenic action of the pesticide residue β -hexachlorocyclohexane in human breast cancer cells¹. *Cancer Res* 56:5403-5409.
- *Storen G. 1955. Lethal poisoning with the moth and insecticide "Jacutin." *Nord J Hyg* 36:77-81.
- *Strachan WMJ. 1988. Toxic contaminants in rainfall in Canada: 1984. *Environ Toxicol Chem* 7:871-877.
- Straube G. 1991. Microbial transformation of BHC. *Zentralbl Mikrobiol* 146:327-338.
- Sturaro A, Doretti L, Parvoli G. 1991. Use of 2,2-dimethoxypropane for the direct gas chromatographic-mass spectrometric determination of some organic compounds in water. *Anal Chim Acta* 244:9-13.
- *Sulik M, Deregowski K, Kemona A. 1988. Distribution and excretion of lindane-¹⁴C in acute intoxication in rats. *Mater Med Pol* 20:92-94.
- *Sunder Ram Rao CV, Shreenivas R, Singh V, et al. 1988. Disseminated intravascular coagulation in a case of fatal lindane poisoning. *Vet Hum Toxicol* 30:132-134.

8. REFERENCES

- *Sunol C, Tusell JM, Gelpi E, et al. 1988. Convulsant effect of lindane and regional brain concentration of GABA and dopamine. *Toxicology* 49:247-252.
- *Suter P. 1983. Three months toxicity study in rats with lindane. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 005220.
- *Sweeney RA. 1969. Metabolism of lindane by unicellular algae. *Proc Conf Great Lakes Res* 1969:98-102.
- *Szeto SY, Price PM. 1991. Persistence of pesticide residues in mineral and organic soils in the Fraser Valley of British Columbia (Canada). *J Agric Food Chem* 39:1679-1684.
- *Szokolay A, Rosival L, Uhnak J, et al. 1977. Dynamics of benzene hexachloride (BHC) isomers and other chlorinated pesticides in the food chain and in human fat. *Ecotoxicol Environ Safety* 1:349-359.
- Szokolay A, Uhnak J, Sackmauerova N, et al. 1975. Analysis of HCB and BHC isomer residues in food. *J Chromatogr* 106:401-404.
- *Szymczynski GA, Waliszewski SM. 1981. Comparison of the content of chlorinated pesticide residues in human semen, testicles, and fat tissues. *Andrologia* 13:250-252.
- *Szymczynski GA, Waliszewski SM. 1983. Chlorinated pesticide residues in testicular tissue samples. *Andrologia* 15:696-698.
- *Takahashi W, Saidin D, Takei G, et al. 1981. Organochlorine pesticide residues in human milk in Hawaii, 1979-1980. *Bull Environ Contam Toxicol* 27:506-511.
- *Tanabe S, Tatsukawa R, Kawano M, et al. 1982. Global distribution and atmospheric transport of chlorinated hydrocarbons: HCH (BHC) isomers and DDT compounds in the Western Pacific, Eastern Indian and Antarctic Oceans. *J Oceanogr Soc Jpn* 38:137-148.
- *Tanaka K, Kurihara N, Nakajima N. 1979. Oxidative metabolism of lindane and its isomers with microsomes from rat liver and house fly abdomen. *Pestic Biochem Physiol* 10:96-103.
- *Tannenbaum A, Silverstone H. 1949. The influence of the degree of calorie restriction in the formation of skin tumors and hepatomas in mice. *Cancer Res* 9:724.
- Teame G. 1997. An assessment of the efficacy of deltamethrin with HCH for the treatment of sarcoptic mange in camels. *Trop Anim Hlth Prod* 29:33-34.
- *Telch J, Jarvis DA. 1982. Acute intoxication with lindane (γ -benzene hexachloride). *Can Med Assoc J* 126:662-663.
- *Tenebein M. 1991. Seizures after lindane therapy. *J Am Geriatr Soc* 39:394-395.
- Teufel M, Niessen KH, Sartoris J, et al. 1990. Chlorinated hydrocarbons in fat tissue: Analyses of residues in healthy children, tumor patients, and malformed children. *Arch Environ Contam Toxicol* 19:646-652.
- *Tezak Z, Simic B, Kniewald J. 1992. Effect of pesticides on oestradiol-receptor complex formation in rat uterus cytosol. *Food Chem Toxicol* 30:879-885.

8. REFERENCES

- *Thakore KN, Karnik AB, Nigam SK, et al. 1981. Sequential changes in lactate, isocitrate, and malate dehydrogenases in mice exposed to technical grade hexachlorocyclohexane (BHC) and their possible relationship to liver tumors. *Pestic Biochem Physiol* 15:262-266.
- *Thomas JC, Berger F, Jucquier M, et al. 1996. Isolation and characterization of a novel γ -hexachlorocyclohexane-degrading bacterium. *J Bacteriol* 178(20):6049-6055.
- *Thorpe E, Walker AIT. 1973. The toxicology of dieldrin (HEOD): II. Comparative long-term oral toxicity studies in mice with dieldrin, DDT, phenobarbitone, β -BHC, and γ -BHC. *Food Cosmet Toxicol* 11:433-442.
- *Tilson HA, Shaw S, McLamb RL. 1987. The effects of lindane, DDT, and chlordcone on avoidance responding and seizure activity. *Toxicol Appl Pharmacol* 88:57-65.
- Toktamysova ZS, Kairakbaeva GM, Nilov VI. 1991. Accumulation and metabolism of organochlorine pesticides in the rat liver. *Gig Sanit* 9:73-4.
- *Tomatis L. 1972. International Agency for Research on Cancer Annual Report for 1971:70. IARC, Lyon.
- *Tomatis L, Turusov V, Day N, et al. 1972. The effect of long-term exposure to DDT on CF-1 mice. *Int J Cancer* 10: 489-506.
- *Tomeczak S, Baumann K, Lehnert G. 1981. Occupational exposure to hexachlorocyclohexane: IV. Sex hormone alterations in HCH-exposed workers. *Int Arch Occup Environ Health* 48:283-287.
- *Tonogai Y, Hasegawa Y, Nakamura Y, et al. 1989. Simultaneous determination of ten kinds of organochlorine insecticides in beef by gas chromatography. *J Food Prot* 52:92-95.
- *Traczyk Z, Palut D, Gorski T, et al. 1977. Blood levels of DDT and γ -HCH in patients with various hematological disorders. *Acta Med Pol* 18:139-146
- TRI94. 1996. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI96. 1998. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- Triebig G, Schaller KH. 1991. Occupational medical investigation of painters and lacquerers exposed to hazardous substances. *Staub-Reinhalt Luft* 51:1-4.
- *Tryphonas L, Iverson F. 1983. Sequential histopathologic analysis of α -hexachloro-hexane-induced hepatic megacytosis and adenoma formation in the HPB mouse. *JNCI* 71:1307-1318.
- *Tsezos M, Wang X. 1991a. Study on the kinetics of hazardous pollutants adsorption and desorption by biomass: Mechanistic considerations. *J Chem Technol Biotechnol* 50:507-521.
- *Tsezos M, Wang X. 1991b. Biosorption and biodegradation interactions—a study on lindane. *Biotech Forum Europe* 8:120-125.

8. REFERENCES

- *Tsukada H, Gotoh M, Mochizuki Y, et al. 1979. Changes in peroxisomes in preneoplastic liver and hepatoma of mice induced by α -benzene hexachloride. *Cancer Res* 39:1628-1634.
- *Tu CM. 1976. Utilization and degradation of lindane by soil microorganisms. *Arch Microbiol* 108:259-263.
- *Turner JC, Shanks V. 1980. Absorption of some organochlorine compounds by the rat small intestine—*in vivo*. *Bull Environ Contam Toxicol* 24:652-655.
- *Tusell JM, Sunol C, Gelpi E, et al. 1987. Relationship between lindane concentration in blood and brain and convulsant response in rats after oral or intraperitoneal administration. *Arch Toxicol* 60:432-437.
- *Tusell JM, Sunol C, Gelpi E, et al. 1988. Effect of lindane at repeated low doses. *Toxicology* 49:375-379.
- Tusell JM, Vendrell M, Serratosa J, et al. 1992. Lindane-induced convulsions in nmri and of 1 mice - antagonism with (+)mk-801 and voltage-dependent calcium-channel blockers. *Brain Res* 593:209-214.
- *TX NR. 1998. Minimum contaminant levels. Texas Natural Resources Conservation Commission. Tit. 30, Pt. 1, Ch. 290, Section .103(1)(3)(A).
- *Uchida M, Kurihara N, Fujita T, et al. 1974. Inhibitory effects of BHC isomers on NA+-K+-ATPase, yeast growth, and nerve conduction. *Pestic Biochem Physiol* 4:260-265.
- *Ullmann L. 1986a. Acute dermal toxicity study with lindane in rats. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061648.
- *Ullmann L. 1986b. 4-hour acute aerosol inhalation toxicity study with lindane in rats. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061637.
- *Ullmann L. 1986c. Primary eye irritation study with lindane in rabbits. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061672.
- *Ullmann L. 1986d. Primary skin irritation study with lindane in rabbits (4-hour occlusive application). Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061661.
- Ullmann L. 1986e. Test for delayed contact hypersensitivity in the albino guinea pig with lindane: Maximization test. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061650.
- *Uphouse K. 1987. Decreased rodent sexual receptivity after lindane. *Toxicol Lett* 39:7-14.
- *Uphouse L, Williams J. 1989. Diestrous treatment with lindane disrupts the female rat reproductive cycle. *Toxicol Lett* 48:21-28.
- Uthe JF, Misra RK, Chou CL, et al. 1991. Temporal trend monitoring: Contaminant levels in tissues of Atlantic cod. International Council for the Exploration of the Sea, Copenhagen. ISSN 0903-2606.
- Vale C, Damgaard I, Suñol C, et al. 1998. Cytotoxic action of lindane in neocortical GABAergic neurons is primarily mediated by interaction with flunitrazepam-sensitive GABA_A receptors. *J Neurosci Res* 52:276-285.

8. REFERENCES

- Vale C, Damgaard I, Suñol C, et al. 1998. Cytotoxic action of lindane in neocortical GABAergic neurons is primarily mediated by interaction with flunitrazepam-sensitive GABA_B receptors. *J Neurosci Res* 52:286-294.
- Vale C, Pomés A, Rodríguez-Farré E, et al. 1997. Allosteric interactions between γ -aminobutyric acid, benzodiazepine and picrotoxinin binding sites in primary cultures of cerebellar granule cells. Differential effects induced by γ - and δ -hexachlorocyclohexane. *Eur J Pharmacol* 319:343-353.
- *van Asperen L. 1954. Interaction of the isomers of benzene hexachloride in mice. *Arch Int Pharmacodyn Ther* 99:368-377.
- Van Den Berg KJ, Van Raaij J A GM, Bragt PC, et al. 1991. Interactions of halogenated industrial chemicals with transthyretin and effects on thyroid hormone levels *in vivo*. *Arch Toxicol* 65:15-19.
- *van der Hoff GR, Gort SM, Baumann RA, et al. 1991. Clean-up of some organochlorine and pyrethroid insecticides by automated solid-phase extraction cartridges coupled to capillary GC-ECD. *J High Resolut Chromatogr* 14:465-470.
- *Van Velsen FL, Danse LHJC, Van Leeuwen FXR, et al. 1986. The subchronic oral toxicity of the β -isomer of hexachlorocyclohexane in rats. *Fund Appl Toxicol* 6:697-712.
- Vaz R. 1995. Average swedish dietary intakes of organochlorine contaminants via foods of animal origin and their relation to levels in human milk, 1975-1990. *Food Addit Contam* 12(4):543-558.
- Veith G, Defoe D, Bergstedt B. 1979. *J Fish Res Board Can* 36:1040.
- *Venant A, Borrel S, Mallet J, et al. 1989. Gel permeation chromatography as a method for the simultaneous clean-up of organochlorine, organophosphate and polychlorinated biphenyl residues in fat extracts. *Analysis* 17:64-66.
- *Venant A, Sery C. 1991. Lindane toxicity to one-year-old calves. *Bull Environ Contam Toxicol* 46:756-760.
- *Vendrell M, Tusell JM, Serratosa J. 1992b. Effect of γ -hexachlorocyclohexane and its isomers on proto-oncogene c-fos expression in brain. *Neurotoxicology* 13:301-308.
- *Vendrell M, Tusell JM, Serratosa J. 1992a. C-fos expression as a model for studying the action of hexachlorocyclohexane isomers in the CNS. *J Neurochem* 58:862-869.
- Vendrell M, Zawia NH, Serratosa J, et al. 1991. C-fos and ornithine decarboxylase gene expression in brain as early markers of neurotoxicity. *Brain Res* 544:291-296.
- *Verbrugge DA, Othoudt RA, Grzyb KR, et al. 1991. Concentrations of inorganic and organic contaminants in sediments of six harbors on the North American Great Lakes. *Chemosphere* 22:809-820.
- Verderber L, Lavin P, Wesley R. 1991. Pseudotumor cerebri and chronic benzene hexachloride (lindane) exposure. *J Neurol Neurosurg Psychiatry* 54:1123.

8. REFERENCES

- *Verma A, Pillai MKK. 1991. Bioavailability of soil-bound residues of DDT and HCH to certain plants. *Soil Biol Biochem* 23:347-351.
- Verma SP, Rastogi A, Lin PS. 1992. Hexachlorocyclohexane pesticides reduce survival and alter plasma membrane structure of Chinese hamster V79 cells. *Arch Biochem Biophys* 298:587-593.
- *Verschueren K. 1983. Handbook of environmental data of organic chemicals. 2nd ed: New York, NY: Van Nostrand Reinhold Co., 723.
- Vesselinovitch S, Carlborg F. 1983. Lindane bioassay studies and human cancer risk assessment. *Toxicol Pathol* 11:12-22.
- *Vesselinovitch SD, Negri S. 1988. Induction of focal and nodular liver lesions in rodents as an indication of human carcinogenic risk. *Annals of the New York Academy of Sciences* Vol 534: 99-105.
- Vidal JLM, Gonzalez FJE, Glass CR, et al. 1997. Analysis of lindane, alpha- and beta-endosulfan and endosulfan sulfate in greenhouse air by gas chromatography. *J Chromatogr A* 765:99-108.
- *Videla LA, Simizu K, Barros SBM, et al. 1991. Mechanisms of lindane-induced hepatotoxicity: Alterations of respiratory activity and sinusoidal glutathione efflux in the isolated perfused rat liver. *Xenobiotica* 21:1023-1032.
- Videla LA, Smok G, Troncoso P. 1995. Influence of hyperthyroidism on lindane-induced hepatotoxicity in the rat. *Biochem Pharmacol* 50(10):1557-1565.
- Videla LA, Troncoso P, Arisi ACM, et al. 1997. Dose-dependent effects of acute lindane treatment on Kupffer cell function assessed in the isolated perfused rat liver. *Xenobiotica* 27(7):747-757.
- *Viswanathan R, Ray S, Scheunert I, et al. 1988. Investigations on accumulation and biotransformation by earthworms of lindane occurring as soil contaminant. *Hazard Waste: Detect Control Treat Proc World Conf Vol (Pt A)*:759-765.
- *Vodopick H. 1975. Erythropoietic hypoplasia after exposure to γ -benzene hexachloride. *JAMA* 24:850-851.
- *VTANR. 1998. Surface water quality standards. Vermont Agency of Natural Resources. Reg. WQS, Ch. 4, Section 4-17.
- *WAC. 1988. Control of hazardous pollutants. Wisconsin Administrative Code, Chapter NR 455. Madison, WI: Department of Natural Resources.
- *WADE. 1998. Minimum contaminant levels. Washington Department of Ecology.
- Wahid PA, Sethunathan N. 1980. Sorption-desorption of lindane by anaerobic and aerobic soils. *J Agric Food Chem* 28:623-625.
- *Waliszewski SM, Szymczynski GA. 1983. Determination of selected chlorinated pesticides, bound and free, in human semen. *Arch Environ Contam Toxicol* 12:577-580.

8. REFERENCES

- *Waliszewski SM, Szymczynski GA. 1986. Determination of chlorinated pesticides in tobacco. *Bull Environ Contam Toxicol* 36:230-233.
- *Waliszewski SM. 1993. Residues of lindane, HCH isomers and HCB in the soil after lindane application. *Environ Pollut* 82:289-292.
- Waliszewski SM, Szymczynski GA. 1991. Persistent organochlorine pesticides in blood serum and whole blood. *Bull Environ Contam Toxicol* 46:803-809.
- *Wang TC, Hoffman ME, David J, et al. 1992. Chlorinated pesticide residue occurrence and distribution in mosquito control impoundments along the Florida Indian River Lagoon. *Bull Environ Contam Toxicol* 49:217-223.
- Wassermann M, Nogueira D, Tomatis L, et al. 1976. Organochlorine compound in neoplastic and adjacent apparently normal breast tissue. *Bull Environ Contam Toxicol* 15:478-484.
- *Wassermann M, Ron M, Bercovici B, et al. 1982. Premature delivery and organochlorine compounds: Polychlorinated biphenyls and some organochlorine insecticides. *Environ Res* 28:106-112.
- Wassermann M, Wassermann D, Kedar E, et al. 1972. Effects of dieldrin and γ BHC on serum proteins and PBI. *Bull Environ Contam Toxicol* 8:177-185.
- Watari N, Torizawa K. 1972. Ultrastructural alterations of the mouse pancreas after prolonged administration of BHC. *J Electron Microsc* 21:334.
- *WDNR. 1987. Surface water quality criteria for toxic substances. Department of Natural Resources, Wisconsin. 1987. Order of the State of Wisconsin Natural Resources Board Repealing, Renumbering, Renumbering and Amending, Amending, Repealing and Recreating, and Creating Rules. Section 27, Chapter NR 105.
- Weiss G, ed. 1986. Hazardous chemicals data book. 2nd ed. Park Ridge, NJ: Noyes Data Corporation, 153.
- Weisse I, Herbst M. 1977. Carcinogenicity study of lindane in the mouse. *Toxicology* 7:233-238.
- Wenzel-Seifert K, Grunbaum L, Seifert R. 1991. Differential inhibition of human neutrophil activation by cyclosporins A, D, and H. Cyclosporin H is a potent and effective inhibitor of formyl peptide-induced superoxide formation. *J Immunol* 147:1940-1946.
- Wessel JR, Yess NJ. 1991. Pesticide residues in food imported into the USA. In: Ware GW, ed. *Reviews of environmental contamination and toxicology*. Secaucus, NJ: Springer-Verlag New York Inc., 120:192.
- *West I. 1967. Lindane and hematologic reactions. *Arch Environ Health* 15:97-101.
- *Wheatley GA, Hardman JA. 1965. Indications of the presence of organochlorine insecticides in rainwater in central England. *Nature* 207:486-487.
- White-Stevens R. 1971. Pesticides in the environment. New York, NY: Marcel Dekker, Inc. 87.

8. REFERENCES

- WHO. 1976. 1975 evaluations of some pesticide residues in food. World Health Organization Pest Res Ser (5):267-271, 396.
- *Wild SR, Jones KC. 1992. Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci Total Environ* 119:85-119.
- Williams DT, Lebel GL, Junkins E. 1984. A comparison of organochlorine residues in human adipose tissue autopsy samples from two Ontario municipalities. *J Toxicol Environ Health* 13:19-29.
- *Williams DT, LeBel GL, Junkins E. 1988. Organohalogen residues in human adipose autopsy samples from six Ontario municipalities. *J Assoc Off Anal Chem* 71:410-414.
- *Wittlinger R, Ballschmiter K. 1990. Studies of the global baseline pollution. XIII. C₆-C₁₄ organohalogens (α - and γ -HCH, HCB, PCB 4,4'-DDT, 4,4'-DDE, cis- and trans-chlordane, trans-nonachlor, anisols) in the lower troposphere of the southern Indian Ocean. *Fresenius J Anal Chem* 336:193-200.
- *Wolff G, Roberts D, Morrissey R, et al. 1987. Tumorigenic responses to lindane in mice: Potentiation by a dominant mutation. *Carcinogenesis* 8:1889-1897.
- Woodard G, Hogan EC. 1947. Toxicological studies on the isomers and mixtures of benzene hexachloride. *Fed Proc* 6:386.
- *Woodliff HJ, Connor PM, Scopa J. 1966. Aplastic anemia associated with insecticides. *Med J Aust* 1:628-629.
- Woodward RM, Polenzani L, Miledi R. 1992. Effects of hexachlorocyclohexanes on γ -aminobutyric-acid receptors expressed in xenopus oocytes by rna from mammalian brain and retina. *Mol Pharmacol* 41:1107-1115.
- *Woolley DE, Griffith JA. 1989. Kinetics and thresholds of several indices of lindane-induced toxicity. *Pharmacol Biochem Behav* 33:787-792.
- *WY DEQ. 1998. Minimum contaminant levels. Wyoming Department of Environmental Quality.
- *Wu WZ, Xu Y, Schramm KW, et al. 1997. Study of sorption, biodegradation and isomerization of HCH in stimulated sediment/water system. *Chemosphere* 35(9):1887-1894.
- Yang FL, Disilvestro RA. 1992. Lindane induced rat-liver lipid-peroxidation without depressed Cu-Zn superoxide-dismutase activities. *Pharmacol Toxicol* 70:392-393.
- *Yess NJ. 1991. Food and Drug Administration pesticide program - residues in foods. *J Assoc Off Anal Chem* 74:1-20.
- Yoshimoto H, Kaneko T, Horiuchi S, et al. 1972. Long-term toxicity study of β -HCH in mice. *Jpn J Pharmacol* 22 (Suppl):118.
- *Zaranski MT, Patton GW, McConnell LL, et al. 1991. Collection of nonpolar organic compounds from ambient air using polyurethane foam-granular adsorbent sandwich cartridges. *Anal Chem* 63:1228-1232.

8. REFERENCES

*Zesch A, Nitzsche K, Lange M. 1982. Demonstration of the percutaneous resorption of a lipophilic pesticide and its possible storage in the human body. *Arch Dermatol Res* 273:43-49.

Zesch A. 1986. Short and long-term risks of topical drugs. *Br J Dermatol* 115 (Suppl 31):63-70.

Zheng MH, Bao ZC, Wang KO, et al. 1997. Formation of polychlorinated biphenyls from the pyrolysis of hexachlorocyclohexane in the presence of Fe₂O₃. *Bull Environ Contam Toxicol* 59:83-89.

Zisterer DM, Moynagh PN, Williams DC. 1996. Hexachlorocyclohexanes inhibit steroidogenesis in Y1 cells. *Biochem Pharmacol* 51:1303-1308.

*Zoetemann BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere* 9:231-249.